ELSEVIER

Inorganic Chemistry Communications 4 (2001) 769–771

INORGANIC CHEMISTRY COMMUNICATIONS

www.elsevier.com/locate/inoche

Author Index of Volume 4

Abboud, K.A., 459
Abdul Malik, K.M., 419
Abdul, I., 375
Abuhijleh, A.L., 119
Abul Haj, M., 254
Adams, H., 475, 664, 667
Adams, R.D., 671
Ahmad, S., 362
Ahmed, F.U., 336
Akashi, H., 413
Albert Cotton, F., 450
Albertin, G., 402
Alfi, S., 177
Alley, S.R., 741
Alvarez-Larena, A., 610
Ama, T., 661
An, C., 339
Andjelkovic, K., 311
Andruh, M., 111
Antoniutti, S., 402
Artemkina, S.B., 423
Asano, M., 413

Baše, T., 682
Babb, A.M., 716
Bacchi, A., 311
Baidina, I.A., 33
Baker, P.K., 124
Balakrishna, M.S., 437
Banger, K.K., 496
Basato, M., 281
Battan, L., 606
Becker, T.M., 602
Beeby, A., 187
Belyaev, A.V., 33
Benetollo, F., 275
Bertani, R., 275, 281
Beyer, L., 398
Bharathi, D.S., 490
Bhattacharyya, P., 198
Bickley, J.F., 16
Biffis, A., 281
Billington, D., 26
Bombieri, G., 275
Bonar-Law, R.P., 16
Bordignon, E., 402
Bortoluzzi, A.J., 173, 354
Bortun, A.I., 555
Botar, B., 551
Bould, J., 544
Bradshaw, D., 664
Branda, N., 219
Brenčič, J.V., 537
Bridgewater, B.M., 126
Brosius, K., 671
Bruce, M.I., 617
Bruda, S., 111
Brus, J., 257
Bu, W., 558
Bu, W.-M., 1
Bu, X.-H., 150
Burrow, R., 471
Buschmann, H.-J., 9, 53, 211

Cabeza, J.A., 57
Cai, J., 241, 478, 483, 493
Canty, A.J., 648
Cao, H., 451
Cao, R., 599
Carrié, M.-C., 187
Castillo, O., 350, 640
Čejka, J., 520
Cervantes-Lee, F., 530
Chadghan, A., 610
Chan, A.S.C., 674, 695
Chandra, T., 434
Chang, H., 723
Chang, Y.-C., 723
Chantrapromma, S., 368, 766
Chao, H., 45
Chen, C., 565, 730
Chen, D.-M., 511
Chen, H.-J., 76
Chen, J.-D., 201
Chen, L., 574
Chen, W., 208
Chen, X.-H., 294
Chen, X.-M., 76
Chen, Z.-D., 138
Chen, Z.-F., 165, 346, 430
Chen, Z.-N., 41, 695
Chimisso, F., 402
Chin, J., 377
Choi, K.-Y., 377
Choudhury, C.R., 419
Chowdhury, S., 507
Chui, S.S.-Y., 467
Císařová, I. I., 257
Ciriano, M.A., 19
Ciunik, Z., 19, 726
Claessen, R.U., 496
Clarke, M.L., 115
Clegg, W., 95
Clunas, S., 667
Collison, D., 664
Consorti, C.S., 471
Constable, E.C., 749
Cotton, F.A., 130, 319
Cui, C., 574
Cui, C.-P., 444, 643
Cutillas, N., 23
Czeluśniak, I., 183

Dörfler, U., 544
Dadabhoy, A., 187
Dai, J., 574
Dai, J.-C., 444, 643
Daniels, L.M., 130, 319, 450
Dastych, D., 36
Datta, D., 195, 507
de Oliveira, W., 582
de Souza Maia, A., 582
Delaire, J.A., 205
Delgado, M.R., 471
Deng, L.-R., 41
Derek Woollins, J., 198
Dey, S.K., 419
Dietze, F., 398
Done, M.C., 648
Dong, T.-Y., 82
Dörfler, U., 544
Drago, V., 173
Drew, M.G.B., 12, 124, 195, 462
Drobot, D.V., 227
Drozdov, A., 290, 708
Drutkowski, U., 342
Du, C., 168, 358
Du, M., 150
Du, W.-X., 444, 643
Duan, C.-Y., 651
Dunand, F.A., 719
Dupont, J., 471
Durrant, M.C., 60
Dyson, P.J., 571

Ebeling, G., 471
Eisenbraun, E.T., 496
El Fallah, M.S., 315
Elsegood, M.R.J., 95
Emel'yanov, V.A., 33
Epstein, D.M., 705
Eriksson, H., 749
Espina, A., 555
Fan, J., 501
Fan, R., 294
Fan, Y., 168, 358, 558
Fan, Y.-G., 1
Fanwick, P.E., 745
Farah, A.A., 237
Farrar, D.H., 471
Faulkner, S., 187
Faure, R., 254
Fedorov, V., 261
Fedorov, V.E., 423
Femoni, C., 16
Feng, C.-L., 45
Feng, X., 467, 483
Feng, X.-L., 241, 346, 674
Fenske, D., 423
Fenton, D.E., 664, 667
Fernandes, C., 354
Fidalgo, E.G., 308
Fiedler, J., 613
Florenciano, F., 23
Foreman, M.R. St J., 36
Frazier, T., 602
Fu, D., 527
Fu, Z., 574
Fu, Z.-Y., 444, 643
Fun, H.-K., 368, 375, 766
Furukawa, K., 90
Fyodorova, N., 261

Gade, L.H., 191, 332
Galka, C.H., 191, 332
Ganter, B., 100
Gao, J.-S., 1
Gao, S., 72, 79, 301
García, J.R., 555
García-Granda, S., 555
Gentschev, P., 753
Ghosh, A., 507
Gibson, V.C., 95
Gioia Lobbia, G., 708
Głowiak, T., 66, 183
Gokhale, N., 26
Goldberg, I., 177
Goldschmidt, Z., 177
Gole, A., 568
Gromilov, S.A., 33, 423
Gruden, M., 311
Gui, Z., 294
Guillaneux, D., 12, 462
Guzmán-Miralles, C., 640

Elsevier Science B.V.
PII: S1387-7003(01)00331-B

Hagrman, P.J., 537
Hai, B., 339
Haiduc, I., 530
Hallmeier, K.H., 153
Han, Z., 427, 541, 632
Hanna, J.V., 766
Hasegawa, M., 661
Hayut-Salant, E., 177
Henderson, W., 741
Herberich, G.E., 100
Himeno, S., 5
Ho, D.M., 602
Hoggard, P.E., 157
Holeček, J., 257
Holliday, G.L., 115
Hong, F.-E., 723
Hong, M., 599
Horáček, M., 520
Horn, A., 173
Horn, Jr., A. 388
Horner, R., 388
Hosmane, N.S., 104, 180, 336, 447, 486, 547, 629
Hou, H., 168, 358
Housecroft, C.E., 749
Hu, C., 427, 632
Hu, N., 427, 632
Hu, S.-M., 444, 643
Hu, X.-P., 478
Hua, X., 635
Huang, B.-R., 82
Huang, J., 392, 515
Huang, J.-S., 504, 561
Huang, P., 319
Hudson, M.J., 12, 462
Huffman, J.C., 434

Iglesias, S., 640
Ihlo, L., 626
Isab, A.A., 362
Ishikawa, E., 551
Ison, A., 459
Ivanovic-Burmazovic, I., 311
Iveson, P.B., 12, 462

Jakimowicz, P., 19, 726
Jambor, R., 257
Jaouen, Gé., 613
Jenkins, D.J., 712
Jeong, J., 264
Ji, L.-N., 45, 241, 478
Jia, H., 427, 632
Jiang, C.-W., 45
Jiang, H., 558
Jiang, Z.-H., 322, 327, 416
Johnson, K., 602
Jones, H., 475
Jothivenkatachalam, K., 738
Journaux, Y., 111
Jovanovski, G., 766
Jwo, T.-Y., 511

Kadokawa, J.-i., 63
Kadota, M., 661
Kaloyeros, A.E., 496
Kang, B.-S., 41, 674, 695
Karan, N.K., 315, 712
Kariuki, B.M., 749
Kawaguchi, H., 661
Keng, T.-C., 201
Kennedy, J.D., 544
Kenwright, A.M., 187
Kessler, V.G., 227, 534
Khainakov, S.A., 555
Kim, J., 264
Kim, J.-G., 377
Kim, T.-Y., 377
Kirmse, R., 626
Kłys, A., 205
Knör, G., 160
Ko, B.-T., 723
Kol, M., 177
Kornilov, A., 496
Krause-Bauer, J., 602
Krebs, B., 753
Kuang, S.-M., 745
Kubišta, J., 520
Kumar, A., 219
Kunkely, H., 215, 252, 689, 692
Kuwahara, T., 63
Kwak, C.-H., 264
Kwon, O.-S., 671

La Duca Jr, R.L., 621
Lang, H., 381
Lappin, A.G., 635
Larsson, K., 635
Lasey, R.C., 30
Lavini, V., 582
Leadbeater, N.E., 395
Lee, G.-H., 82, 384, 430, 511
Lee, J.H., 297
Lee, S.W., 297
Lee, T.-J., 82
Lehtonen, A., 108
Li, B., 451
Li, B.-Q., 346
Li, D., 483
Li, D.-F., 651
Li, H.-D., 223
Li, J., 372
Li, J.-R., 301
Li, R., 483
Li, S., 104, 180
Li, S.-A., 651
Li, S.-Q., 322
Li, X.-Y., 45, 241
Li, Y., 427, 541, 632
Lian, B., 392
Liang, C.H., 208
Liang, Y., 599
Liao, D.-Z., 322, 327, 416
Liao, F.-H., 301
Lin, C., 130, 450
Lin, P., 444
Lin, X., 245, 285
Liu, H.-K., 674
Liu, J., 372, 527, 674
Liu, J.-G., 45
Liu, J.-Z., 241
Liu, Q., 558, 730
Liu, Q.-D., 301
Liu, X., 327, 416
Liu, Y., 451
Liu, Z.-L., 322
Lloret, F., 350
López, G., 23
Lough, A.J., 471
Lowe, P., 26
Lu, C., 245, 285
Lu, C.-Z., 504, 561
Lu, J.Y., 459, 678, 716
Lü, M., 734
Lu, Z., 527
Luan, G., 427, 541, 632
Lüken, M., 753
Luque, A., 350, 640

Ma, B.-Q., 72, 301
Ma, C., 730
Ma, C.-L., 223
Ma, H., 515
Ma, H.-Zh., 409
Ma, H.Z., 248
Mach, K., 520
Madic, C., 12, 462
Maekawa, M., 5
Mague, J.T., 437
Maguire, J.A., 104, 447, 486, 547
Mahalli, S.O.G., 315
Maiboroda, A., 381
Mak, T.C.W., 467
Maletin, Y.A., 134
Malik, K.M.A., 315, 712
Manassero, M., 606
Mandal, S.K., 602
Marchetti, F., 290
Martinati, G., 281
Matsumoto, T., 365
McGrath, T.D., 16
McPartlin, M., 191
McPhail, A.T., 336
Meehan, M.M., 124
Meng, G.W., 208
Merbach, A.E., 719
Metcalfe, C., 475
Meyer, F., 305
Meyer, H.-J., 577
Meyerstein, D., 705
Michelin, R.A., 275, 281
Mikloš, D., 66
Mikuriya, M., 441
Miller, K., 602
Min, D., 297
Minowa, K., 441
Mitra, S., 315, 419, 712
Modec, B., 537
Möller, N., 753
Mondal, N., 419
Moreno, M., 57
Mori, M., 413
Mozzon, M., 275, 281
Murguly, E., 219
Murillo, C.A., 130, 450
Mutihac, L., 211

Nagao, N., 441
Nakanishi, S., 90
Nakata, J., 661
Nakatani, K., 205
Natarajan, P., 738
Natarajan, S., 699
Naumov, N.G., 423
Naumov, P., 766
Neal, T.J., 635
Necas, M., 36
Neves, A., 173, 354, 388
Newell, M., 475
Newton, C., 26
Ng, S.W., 766
Nishida, Y., 86
Nishimoto, K., 413
Nishino, S., 86
Niu, Y., 358
Noltemeyer, M., 111
Nordlander, E., 749
Norman, C., 459
Novosad, J., 36

Ogawa, M.Y., 30
Okamoto, K.-i., 661
Okamura, T.-a., 501
Olk, R.-M., 626
Olsson, J., 749
Orazem, E.L., 157
Oro, L.A., 19
Ortiz, W.A., 173
Otto, S., 49
Ozra Ghodsi Mahalli, S., 419

Padhye, S., 26
Pal, S., 269, 656, 656
Palaniappan, S., 738
Pan, A., 507
Pandolfo, L., 145
Pannell, K.H., 530
Parkin, G., 126
Pasini, A., 606
Patra, G.K., 195
Pavel, I., 530
Pérez, J., 23
Pelizzi, G., 311
Pellei, M., 708
Peng, S.-M., 82, 384, 430
Pertierra, P., 555
Pervukhina, N., 261
Petrusová, L., 520
Pettinari, C., 290, 708
Pevzner, N.S., 134
Pietro, W.J., 237
Piniella, J.F., 610
Plasseraud, L., 308
Pombeiro, A.J.L., 275, 585
Pons, J., 610
Pospíšil, L., 613
Prasad, J.S., 490
Prasad, R., 219
Pritzkow, H., 305
Priya, S., 437
Pruchnik, F.P., 19, 726

Qi, H., 565
Qi, Z., 483
Qian, Y., 339, 392, 515
Quintana, W., 486
Quirós, M., 254

Rana, G., 336, 629
Ranatunga, A., 30
Rarig Jr, R.S., 621
Rathbone, D., 26
Ratkoski, R., 621
Ray, U., 269
Razak, I.A., 368, 766
Redshaw, C., 95
Ren, C., 41, 695
Renner, P., 191, 332
Rheinwald, G., 381
Riera, V., 57
Rivière, E., 111
Rocha, R.C., 230
Rodríguez, V., 23
Roesky, H.W., 111
Román, P., 350, 640
Rompel, A., 753
Roodt, A., 49
Ros, J., 610
Rosair, G., 712
Rosales-Hoz, M.de J., 57
Růžička, A., 257
Ruiz, J., 23
Runnels, K.A., 678
Russell, K., 571
Russell, M.L., 12

Salas, J.M., 254
Salmain, M., 613
Salvadó, M.A., 555
Sammes, P.G., 187
Sampaio Paulino, Í., 582
Samuelson, A.G., 490
Santini, C., 708
Santra, P.K., 269
Sasaki, Y., 142
Sassi, A., 145, 275, 281
Sastry, M., 568
Sauter, S., 153
Schollmeyer, E., 9, 53, 211
Schröder, B., 398
Schröder, U., 398
Schuchardt, U., 582
Schwalbe, C., 26
Schwingel, E., 354
Segl'a, P., 66
Seisenbaeva, G.A., 227, 534
Shamis, M., 177
Shang, M., 635
Shao, M.-C., 1
Shcheglov, P., 227
Shen, G., 339
Shepherd, R.E., 760
Shi, Q-Zh., 409
Shi, X., 483
Shibahara, T., 413
Shionoya, M., 150
Shiro, M., 150
Shulgin, V.F., 134
Sillanpää, R., 108
Singh, N., 454
Singh, R.K.B., 315
Sinha, C., 269
Sinha, R.K., 454
Siu, A., 467
Skelton, B.W., 617, 648
Slawin, A.M.Z., 115, 198
Sokolov, M., 142, 261
Spey, S.E., 475
Spielvogel, B.F., 336, 629
Sreerama, S.G., 656
Sridhar, M.A., 490
Stanislawek, K., 19
Steiner, A., 16
Štěpnička, P., 520, 682
Stoeckli-Evans, H., 308
Ströbele, M., 577
Strauch, P., 342
Stringfield, T.W., 760
Strizhakova, N.G., 134
Süss-Fink, G., 308
Su, C.-W., 201
Su, C.-Y., 41
Su, W., 599
Sugai, J., 388
Suh, I.-H., 377
Suh, M., 297, 377
Suib, S.L., 493
Sun, B.-W., 72, 79
Sun, W.-Y., 501
Sun, X.-D., 223
Sung, N.-D., 377
Szargan, R., 153
Szpoganicz, B., 354, 388
Szymańska-Buzar, T., 183

Tagaya, H., 63
Takata, T., 90
Tanaka, K., 150
Tang, K., 339
Tang, W.-X., 651
Teixidor, F., 486
Tejel, C., 19
Terenzi, H., 388
Thewalt, U., 520
Thomas, J.A., 475
Thornton-Pett, M., 544
Toma, H.E., 230
Tong, M.-L., 76
Toscano, P.J., 496
Trobajo, C., 555
Troyanov, S., 290, 708
Tsai, H.-L., 511

Ueyama, N., 501
Umakoshi, K., 142

Vertlib, V., 290
Viñas, C., 486
Virovets, A.V., 33, 423
Vogler, A., 215, 252, 689, 692
Vyakaranam, K., 180, 336, 486, 629

Wakamatsu, K., 413
Walton, R.A., 745
Wang, B., 248, 409
Wang, C., 339
Wang, E., 427, 541, 632
Wang, G.-L., 327, 416
Wang, G.Z., 208
Wang, J.-C., 201
Wang, P., 427
Wang, S., 245
Wang, W., 730
Wang, W.-Z., 327, 416
Wang, X., 372
Wang, Y., 511, 547
Wang, Y.-D., 223
Wang, Y.W., 208
Wang, Z., 577
Wang, Z.-M., 72, 79
Wego, A., 9
Wei, Y., 358
Welch, J.T., 496
Welton, T., 571
Weng, J., 599
Wenz, G., 53, 211
White, A.H., 617, 648
Williams, I.D., 467
Woods, C., 119
Woollins, J.D., 115
Wu, C., 285
Wu, C.-D., 504, 561
Wu, D., 285
Wu, D.-M., 561
Wu, L., 574
Wu, L.-M., 444, 643
Wu, X., 574
Wu, X.-T., 444, 643
Wu, Y.-C., 294
Wur, C.-S., 511
Wyllie, G.R.A., 635

Xia, J., 651
Xie, Y., 558
Xie, Y.-L., 384, 405
Xie, Y.-R., 346
Xin, X., 358
Xiong, R.-G., 165, 346, 384, 405, 430
Xu, D., 734
Xu, J.-Q., 1
Xu, L., 368
Xu, X., 558
Xu, Z., 451
Xue, Y., 558

Yamase, T., 551
Yan, B., 138
Yan, S.-P., 322, 327, 416
Yang, C.-I., 511
Yang, D.-X., 651
Yang, G.-Y., 1
Yang, P., 734
Yang, Q., 339
Yang, W., 245, 285
Yang, W.-B., 504
Yao, J.-H., 478
Yao, X.-K., 416
Yasui, T., 661
Ye, L., 1
Yin, G., 451
Yonemura, T., 661
Yong, L., 392
Yoon, S.S., 297
Yoshida, H., 365
Yoshihara, M., 5
You, X., 368, 577, 699
You, X.-Z., 165, 346, 375, 384, 405, 430
Yu, K.-B., 301, 695
Yu, W., 339
Yu, Z., 368, 375, 577
Yuan, D., 734
Yuan, R.-X., 384, 430
Yun, K.-S., 377

Zaitseva, N.N., 617
Zakrzewski, J., 205
Zaleski, J.M., 434
Zanotto, L., 145
Zecca, M., 281
Zemánek, J., 520
Zhang, H., 241, 447, 547
Zhang, H.-X., 41, 674, 695
Zhang, J., 165
Zhang, L., 168, 368, 699
Zhang, L.-J., 375
Zhang, L.D., 208
Zhang, W.-J., 643
Zhang, Y., 527
Zhang, Y.-A., 501
Zhang, Z.Y., 467
Zhao, Q.-H., 322
Zheng, C., 104, 180
Zheng, C.-G., 165, 405
Zhou, G., 734
Zhou, Q.-Z., 301
Zhou, Y., 368, 699
Zhou, Y.-S., 375
Zhou, Z.-Y., 674, 695
Zhu, H., 577, 730
Zhu, Y., 168, 358, 447, 486, 547
Zhuang, H., 245, 285
Zhuang, H.-H., 504, 561
Ziemkowska, W., 757
Zou, Z.-H., 501
Zub, V.Y., 134
Zubieta, J., 537, 621
Zuo, J.-L., 375

ELSEVIER

Inorganic Chemistry Communications 4 (2001) 772–792

INORGANIC CHEMISTRY COMMUNICATIONS

www.elsevier.com/locate/inoche

Subject Index of Volume 4

Actinides
Lanthanide(III) complexes of a highly efficient actinide(III) extracting agent – 2,6-bis(5,6-dipropyl-1,2,4-triazin-3-yl)pyridine, 12
Unusual complexes formed by the early lanthanides with 2, 6-bis(5, 6-dialkyl-1, 2, 4-triazin-3-yl)-pyridines, 462
Acylpyrazolones
Interaction of Rh(I) with a new polydentate O_4,N-donor pyrazolone able to form mononuclear, dinuclear and heterobimetallic compounds, 290
Ag–Ag interactions
2D structure with rectangular grids woven by coordination chains and pseudo-metal wires, 41
Aging time
Synthesis of supramolecular-templated mesostructured tin oxide, 223
Alcoholysis
Nickel-mediated alcoholysis reaction of carbon–nitrogen triple bond: structural characterization of an unprecedented moisture stable imido ester with an *E*-configuration, 150
Alkoxide complexes
Bisdiolatotungsten(VI) phenoxide-based catalytic systems for ring opening metathesis polymerization, 108
Alkoxide-bridged complex
Synthesis, characterization and crystal structure of a new unsymmetric tetranuclear copper-carbonate complex: reversible CO_2 fixation, 354
Alkoxo complexes
Synthesis and structure of a high-nuclearity oxomolybdenum(V) complex, $[Mo_{12}O_{28}(OC_2H_5)_4(C_6H_7N)_8]$, 537
Alkyne complex
Reaction of $[(CO)_4Mo(\mu\text{-}Cl)_3Mo(SnCl_3)(CO)_3]$ with PhC≡CPh. X-ray crystal structure of $[Mo_3(\mu_3\text{-}O)(\mu_3\text{-}Cl)(\mu_2\text{-}Cl)(\mu_2\text{-}OH)_2(O)(\eta^2\text{-}PhCCPh)_5]$, 183
Alkyne-bridged dicobalt-complex
Preparation and characterization of an unusual tetracobalt-complex; X-ray crystal structure of $[Co_2(CO)_5\{\mu\text{-}P,P(\mu\text{-}PPh_2C\equiv CPPh_2)\}][Co_2(CO)_4\{\mu\text{-}P\text{-}(\mu\text{-}PPh_2C\equiv CPPh_2)\}]$, 723
Aluminium
tert-butylaluminium complex of 2,2′-di(hydroxymethyl)biphenyl: intra-molecular hydrogen bonding, 757
Amidine complexes
Cis addition of dimethylamine to the coordinated nitriles of *cis*- and *trans*-$[PtCl_2(NCMe)_2]$. X-ray structure of the amidine complex *cis*-$[PtCl_2\{EN(H)\equiv C(NMe_2)Me\}_2]\cdot CH_2Cl_2$, 275
Amidines
A palladium complex containing a new C_2-symmetric bidentate non-racemic oxalamidine ligand: synthesis and catalytic properties, 471
Amido complexes
Electronic spectra of solid pentakis(dimethylamido)tantalum(V), 252
Aminocarbyne
Coordination chemistry of CNH, the simplest isocyanide, 585
Aminothiourea
Chiral lanthanide(III) complexes of sulphur–nitrogen–oxygen ligand derived from aminothiourea and sodium D-camphor-β-sulfonate, 409
Ammine complex
Synthesis and crystal structure of *trans*-nitrosoaquatetraammineruthenium(II) sulphate hydrosulphate, $[Ru(NO)(NH_3)_4(H_2O)](SO_4)(HSO_4)$, 33
Amyloid beta-peptide
Oxygenation of amyloid beta-peptide (1–40) by copper(II) complex and hydrogen peroxide system, 86
Anion encapsulation
Assembly of a novel cyclic dimer encapsulating PF_6^- into the brick wall network, 674
Antiferromagnetic coupling
One-dimensional oxalato-bridged copper(II) complex possessing two structurally different metallic centres, 350
Antitumor activity
The crystal structure of first copper(II) complex of a pyridine-2-carboxamidrazone – a potential antitumor agent, 26
Synthesis, characterization and in vitro antitumor activity of diorganometallo complexes γ-Keggin anions, 372
Artificial nuclease
Hydrolytic DNA cleavage promoted by a dinuclear iron(III) complex, 388
Artificial photosynthesis
Structural characterisation of *rac*-bis(2,2′-bipyridine)(2,5-dipyridylpyrazine)ruthenium(II) hexafluorophosphate; a key building block for metallodendrimers, 749
Arylazopyrimidines
Silver(I) helicates with 2-(arylazo)pyrimidines. Single crystal X-ray structure of {2-(phenylazo)pyrimidine}silver(I) nitrate, 269
Asymmetric
A palladium complex containing a new C_2-symmetric bidentate non-racemic oxalamidine ligand: synthesis and catalytic properties, 471
Azaporphyrin
Coordination complexes of β-thioether appended tetraazaporphyrin, 219
Azavinylidene (benzylideneamido) complexes
First complex containing a $Pd_2(\mu_2\text{-}N{=}CPh_2)_2$ functional group, 23
Azide
Controlled assembly of a nickel(II) azido alternating chain from dinuclear building units, 305
$\alpha - B$ tungstobismutate
Synthesis and crystal structure of a novel vanadium-containing tungstobismutate(III) $K_{12}[(VO)_3(BiW_9O_{33})_2]\cdot 30H_2O$, 551
$Ba_2Be_2B_2O_7$
Synthesis and characterization of $Ba_2Be_2B_2O_7$, 565

Elsevier Science B.V.
PII: S1387-7003(01)00332-X

Barium
Synthesis and structural characterization of an alternating double aquo-bridged and single cyano-bridged polymeric barium–iron complex: $\{[Ba_2(phen)_4(H_2O)_6Fe(CN)_6]\cdot Cl\cdot 2(phen)\cdot 3H_2O\}_n$, 712
Benzene hydrogenation
Electrospray mass spectrometry of $[Ru_4(\eta^6\text{-}C_6H_6)_4(OH)_4]^{4+}$: first direct evidence for the persistence of the cubane unit in solution and its role as a precatalyst in the hydrogenation of benzene, 571
Benzobicyclo
Substituent effect on the carborane coupling reaction: synthesis and crystal structure of 1-phenyl-2-[2,3-benzobicyclo(3,3,0)-1-oxo-4-oxa-7-aza-8-yl]-1,2-dicarba-closo-dodecaborane(12), 180
Benzotriazole
Proton-induced switching and control of intramolecular electron transfer on a benzotriazole-bridged symmetric mixed-valence ruthenium complex, 230
Synthesis and crystal structure of the first Cu(I)-benzotrizolate complex $[Cu_4(bta)_3(PPh_3)_4][Cu(PPh_3)_3](BF_4)_2$: a unique tetra-metallic fragment like a reverse-umbrella, 483
Bi-capped Keggin
Hydrothermal synthesis and structure of a bi-capped Keggin polyoxoanion, $[As^{III}_2As^{V}Mo_8V^{IV}_4O_{40}]^{5-}$, 632
μ-bidentate perchlorato ligand
Synthesis and characterization of a polymeric copper (II) complex bridged with perchlorate ion: X-ray crystal structure of Cu(*N*,*N*′-bis(3-aminopropyl)ethylenediamine)$(ClO_4)_2\cdot H_2O$, 264
2,2′ -Biimdazole
Synthesis and X-ray structure of the homobinuclear 2,2′-biimidazole-bridged palladium(II) complex [{Pd(dppp)}$_2$(μ-biim)](OTf)$_2$, 381
Biferrocenium
Pronounced effects of counterions on intramolecular electron transfer in 1′,1‴-dinaphthylmethylbiferrocenium cation, 82
Bimetallic oxide
Structure-directing influences of dipodal organoimine ligands: hydrothermal synthesis and structure of a three-dimensional cobalt vanadate, $[Co_3(bpypr)_4(H_2O)_4V_6O_{18}]\cdot 2H_2O$ (bpypr=1,3-di-4-pyridylpropane), 621
Binuclear complexes
Synthesis and X-ray structure of the homobinuclear 2,2′-biimidazole-bridged palladium(II) complex [{Pd(dppp)}$_2$(μ-biim)](OTf)$_2$, 381
Binuclear copper
A new 3-D neutral framework coordination polymer constructed via square pyramidal binuclear Cu(II) and nicotinato ligand, 716
Binuclear molybdenum compound
An interesting network of an asymmetric binuclear molybdenum complex formed via O—H···O and C—H···O_{CO} hydrogen bonds and stacking interactions, 285
Bipyrazole complex
Deprotonation of a ruthenium (II) complex incorporating a bipyrazole ligand leading to optical and electrochemical switching, 475
2,2′-bipyridine
Carbon–oxygen bond formation at organopalladium centres, 648
4,4′-Bipyridine
Crystal engineering of an inclusion coordination polymer with cationic pocket-like structure and its property to form metal–organic nanofibers, 459
4,4′-Bipyridinium
'Chicken-coop' network assembled by hydrogen bonds with bridging nitrate ions. Crystal structure of bis(4,4′-bipyridinium) diaquatetraisothiocyanatonickellate(II) dinitrate, 76
4,4′ Bipyridyl-based building block
Self-assembly of a new "4,4′-bipyridyl-based" building block with Cd(II) and Co(II) cations: synthesis and crystal structures of 1- and 2-D coordination polymers, 168
Bipyrimidine
Structure of a tetranuclear heterometallic Ag(I)–Pt(II) complex with a triazolopyrimidine derivative, 254
A novel one-dimensional oxalato-bridged copper(II) complex with 2,2′-bipyridine, 640
Diaquabis(4,4′-bipyridine)copper(II) di(*o*-sulfobenzimidate) dichloromethane solvate, a two-dimensional $Cu_4(4,4'C_5H_4NC_5H_4N)_4$ rhombic grid clathrating guest dichloromethane, 766
4,4′ – bipyridine – N,N′-dioxide complexes
Heteropolymetallic assemblies constructed from homometallic coordination polymers and paramagnetic metal-containing anions. Synthesis, crystal structure and magnetic properties of [Mn(4,4′-bipyridine-N,N′-dioxide) $(H_2O)_4$][Cr(bipy) $(C_2O_4)_2]_2\cdot 8H_2O$, 111
3,6-bis(2-pyridyl)pyridazine
Synthesis and characterization of a novel tetranuclear nickel(II) complex: $[Ni_4(\mu\text{-}OH)_2(\mu\text{-}dppn)_4(\mu\text{-}H_2O)_2](Cl)(ClO_4)_5\cdot 9H_2O$ (dppn = 3,6-bis(2-pyridyl)pyridazine), 377
Bis (organometallo) decatungstosilicate
Synthesis, characterization and in vitro antitumor activity of diorganometallo complexes γ-Keggin anions, 372
Bis(2-pyridyl)formamidine
Synthesis, structure and spontaneous resolution of $[Pd_2Cl_2(DpyF)_2]$ ($DpyF^-$ = anion of bis(2-pyridyl)formamidine); a new chelating/bridging bonding mode of $DpyF^-$ ligand, 201
Bis(benzene)chromium(I)
The photolysis of bis(benzene)chromium(I) in chloroform, 157
Bis(hydrazine)
Preparation of bis(hydrazine) complexes of iron(II), 402
Bis(phenylacetylene)
Synthesis, molecular structure and catalytic activity of the bis (phenylacetylene) complex $[WI_2(CO)(NCMe)(\eta^2\text{-}HC_2Ph)_2]$, 124
Bis-substituted
Synthesis and crystal structure of 1,2-bis(phthalimidomethyl)-1,2-dicarba-*closo*-dodecaborane(12): a precursor to polyamines, 447
Bis-tridentate
A novel two-dimensional layer network composed of cadmium and bridging isophthalate ligand, 165
Blue fluorescent emission
Preparation, characterization, and X-ray crystal structure of a one-dimensional calcium-based coordination polymer with strong blue fluorescent emission, 430
Blue luminescence
A blue luminescent di-2-pyridylamine cadmium complex with an unexpected arrangement of thiocyanate ligands: a supramolecular layered structure based on hydrogen bonds and π–π stacking interactions, 577
Blue-fluorescent-emission
Synthesis, crystal structure, and characterization of mixed-ligand complex of copper(I) with drug of norfloxacin and triphenyl phosphine: $[Cu(PPh_3)_2(H\text{-}Norf)]ClO_4$, 346
BNCT
Synthesis and crystal structure of 1,2-bis(phthalimidomethyl)-1,2-dicarba-*closo*-dodecaborane(12): a precursor to polyamines, 447
Borane cluster
A rearrangement of the 10-boron *nido*/*arachno* decaboranyl cluster, 544

Borane
The first substituted boranonucleic acids: a novel synthetic route, 629
Boranoamino acid amide
A novel protonated boranoamino acid amide derivative, $(CH_3)_3N \cdot BH_2C(OH)=N^+HC_2H_5Cl^-$: A synthetic and structural investigation, 336
Boranophosphate
The first substituted boranonucleic acids: a novel synthetic route, 629
Borate
Synthesis and characterization of $Ba_2Be_2B_2O_7$, 565
Breast cancer
The crystal structure of first copper(II) complex of a pyridine-2-carboxamidrazone – a potential antitumor agent, 26
Brick wall network
Assembly of a novel cyclic dimer encapsulating PF_6^- into the brick wall network, 674
Bridging ligand
Synthesis and structures of two novel heterometallic polymers, 444
$C_{(cage)}$-alkylamido
The first half-sandwich d^0-metallacarboranes stabilized by metal–nitrogen sigma bond using $C_{(cage)}$-appended anionic alkylamido moiety: a synthetic investigation, 486
Cadmium complex
A new cyanato-bridged polymeric complex $[Cd_3(NCO)_6(NH_2CH_2C_5H_4N)_3]_n$ with a zig–zag ladder shaped structure, 419
Cadmium
A novel two-dimensional layer network composed of cadmium and bridging isophthalate ligand, 165
A novel 1D Cd^{II} coordination polymer with 4-sulfobenzoate and 2,2′-bipyridine containing an approximate rectangular molecular box unit with blue fluorescent emission, 384
An unprecedented three-dimensional network cadmium coordination polymer containing isonicotinato *N*-oxido ligand with strong yellow fluorescent emission, 405
Calcium complex
Preparation, characterization, and X-ray crystal structure of a one-dimensional calcium-based coordination polymer with strong blue fluorescent emission, 430
Calorimetry
Silver complexes with large crown ethers in propylene carbonate, 9
Carbenes
Catalytic activity of dicationic platinum(II) and rhodium(II) complexes towards 9-diazofluorene, 281
Carborane
The first dimeric half-sandwich gadolinacarborane of the "carbons apart" C_2B_4-carborane ligand system, 104
Carboxamidrazone
The crystal structure of first copper(II) complex of a pyridine-2-carboxamidrazone – a potential antitumor agent, 26
Carboxylate
Carboxylate versus imidobenzoate bonding for anthranilic acid derivatives. Crystal structures of $[W(\eta\text{-}C_5Me_5)Cl_3(\eta^2\text{-}O_2CC_6H_4NH_2\text{-}2)]$ and $[ReCl(OEt)(PPh_3)_2(NC_6H_4CO_2)]$, 95
Catalysis
Bisdiolatotungsten(VI) phenoxide-based catalytic systems for ring opening metathesis polymerization, 108
A palladium complex containing a new C_2-symmetric bidentate non-racemic oxalamidine ligand: synthesis and catalytic properties, 471
Electrospray mass spectrometry of $[Ru_4(\eta^6\text{-}C_6H_6)_4(OH)_4]^{4+}$: first direct evidence for the persistence of the cubane unit in solution and its role as a precatalyst in the hydrogenation of benzene, 571
Carbon–oxygen bond formation at organopalladium centres, 648
A simple route to thiacrowns. Catalytic macrocyclization of thiirane by cationic manganese carbonyl complexes, 671
Catalytic applications
Electrostatically controlled intercalation of Keggin anions into thermally evaporated fatty amine films, 568
Catecholase activity
Synthesis of a novel μ-acetate bridged dinuclear Cu(II) complex as model compound for the active site of tyrosinase: crystal structure, magnetic properties and catecholase activity, 753
Cationic structure
Crystal engineering of an inclusion coordination polymer with cationic pocket-like structure and its property to form metal–organic nanofibers, 459
CdS
Preparation and characterization of CdS nanoparticles by ultrasonic irradiation, 208
Inorganic composite CdS/heteropolyanion nanoparticles with salt-like structures, 527
Chain compounds
Controlled assembly of a nickel(II) azido alternating chain from dinuclear building units, 305
Chair Conformation
A linear piperazine–pyridine ligand and its Hg coordination polymer, 358
Charge transfer
Photoreactivity of hexakis[μ-(acetato-O:O′)]-μ_3-oxotriruthenium(III) cation. Photoreduction by oxalate, 689
Photoreduction of aqueous ferrioxamine B by oxalate induced by outer-sphere charge transfer excitation, 215
Chelates
Dirhodium(II) carboxylate complexes as building blocks. Synthesis of dimeric species as connectors for macrocycles, 16
Chelating diselenito
Mononuclear chelating diselenito complexes of platinum(II) and the crystal structure of bis-triphenylphosphine(diselenito-*O*,*O*′)platinum(II)Preference for hard versus soft ligands of the *cis*-$Pt(PPh_3)_2$ moiety?, 606
Chelating ligand
Preparation and characterization of an unusual tetracobalt-complex; X-ray crystal structure of $[Co_2(CO)_5\{\mu\text{-}P,P(\mu\text{-}PPh_2C{\equiv}CPPh_2)\}][Co_2(CO)_4\{\mu\text{-}P\text{-}(\mu\text{-}PPh_2C{\equiv}CPPh_2)\}]$, 723
Chemical vapor deposition
The first metal complex containing a silylated β-diketonate ligand: bis(2,2,6,6-tetramethyl-2-sila-3,5-heptanedionato) copper(II), 496
Chiral complexes
Chiral lanthanide(III) complexes of sulphur–nitrogen–oxygen ligand derived from aminothiourea and sodium D-camphor-β-sulfonate, 409
Chiral
The synthesis and characterization of *N*-(diphenylthiophosphinyl)-*P*-phenyl-thiophosphonamidic acid phenyl ester and related compounds chiral at phosphorus, 36
Chloroform
Chloroform as solvent for the complex formation of alkaline salts with crown ethers and cryptands, 53
The photolysis of bis(benzene)chromium(I) in chloroform, 157
The influence of water molecules on the complex formation between K^+ and 18-crown-6 and the cryptand (222) in chloroform, 211
Chromium complexes
Heteropolymetallic assemblies constructed from homometallic coordination polymers and paramagnetic metal-containing anions. Synthesis, crystal structure and magnetic properties of [Mn(4,4′-bipyridine-N,N′-dioxide) $(H_2O)_4$] $[Cr(bipy)(C_2O_4)_2]_2 \cdot 8H_2O$, 111

Cis–trans isomers
A novel protonated boranoamino acid amide derivative, $(CH_3)_3N \cdot BH_2C(OH)=N^+HC_2H_5Cl^-$: A synthetic and structural investigation, 336
Clathrates
Electrical transport properties of a supramolecular assembly, 507
Diaquabis(4,4′-bipyridine)copper(II) di(*o*-sulfobenzimidate) dichloromethane solvate, a two-dimensional $Cu_4(4,4'C_5H_4NC_5H_4N)_4$ rhombic grid clathrating guest dichloromethane, 766
Clusters
Synthesis and structure of a high-nuclearity oxomolybdenum(V) complex, $[Mo_{12}O_{28}(OC_2H_5)_4(C_6H_7N)_8]$, 537
Cluster compounds
The electrochemical synthesis and X-ray single crystal study of $Re_4O_6(O^iPr)_{10}$ – a new Rhenium(V, VI) cluster with an unprecedented arrangement of metal–metal bonds, 227
CN group migration
Unusual reactions of ruthenium–polycyanocarbon complexes: formation of an η^2-CNR ligand and cleavage of $C(sp^2)$–CN bonds, 617
CO_2 fixation
Synthesis, characterization and crystal structure of a new unsymmetric tetranuclear copper-carbonate complex: reversible CO_2 fixation, 354
Cobalt vanadate
Structure-directing influences of dipodal organoimine ligands: hydrothermal synthesis and structure of a three-dimensional cobalt vanadate, $[Co_3(bpypr)_4(H_2O)_4V_6O_{18}] \cdot 2H_2O$ (bpypr=1,3-di-4-pyridylpropane), 621
Cobalt(II) complexes
Transmetallation. Synthesis of a novel acetato bridged low-spin Co(II)–Zn(II) heterodinuclear complex from an acetato bridged one-dimensional Zn(II) polymer, 195
Cobalt(II) nitrate
A three-dimensional cobalt(II)-coordination polymer based on 3,5-pyridinedicarboxylate, 297
Co-dope
Photoluminescence characteristics of ZnS nanocrystallites co-doped with Co^{2+} and Cu^{2+}, 734
Complex
Structure and magnetic properties of ferrimagnetic chain formed by manganese(II) and nitronyl nitroxides, 322
Complexes
Chloroform as solvent for the complex formation of alkaline salts with crown ethers and cryptands, 53
Complex formation
The influence of water molecules on the complex formation between K^+ and 18-crown-6 and the cryptand (222) in chloroform, 211
Conformational analysis
Preparation and structural feature of a novel class of macrocycles containing (η^4-diene)$Fe(CO)_3$, 90
Constrained geometry
The first half-sandwich d^0-metallacarboranes stabilized by metal–nitrogen sigma bond using $C_{(cage)}$-appended anionic alkylamido moiety: a synthetic investigation, 486
Coordination
Syntheses and X-ray structures of half-sandwich *o*-methoxylbenzyl-indenyl zirconium complexes with coordinated THF, 515
Co-ordination chemistry
First examples of M–Se–P–N–N heterocycles, 115
Coordination material
Hydrothermal synthesis of two new zinc coordination polymers with mixed ligands, 561
Coordination polymer
2D structure with rectangular grids woven by coordination chains and pseudo-metal wires, 41
Synthesis and characterization of a polymeric copper (II) complex bridged with perchlorate ion: X-ray crystal structure of Cu(*N*,*N*′-bis(3-aminopropyl)ethylenediamine)$(ClO_4)_2 \cdot H_2O$, 264
Silver(I) helicates with 2-(arylazo)pyrimidines. Single crystal X-ray structure of {2-(phenylazo)pyrimidine}silver(I) nitrate, 269
Highly stable open frameworks of Ln–Cu (Ln = La, Ce) 3D coordination polymers containing spacious hexagon channels and unusual μ_2-H_2O bridges, 301
Crystal engineering of an inclusion coordination polymer with cationic pocket-like structure and its property to form metal–organic nanofibers, 459
Hydrothermal synthesis and characterization of the coordination polymer $[Zn(bbdc)(H_2O)]_n$ (bbdc=4,4′-bibenzene-dicarboxylate) possessing a 3D network structure, 599
An unprecedented mixed-valent-copper mutual-face-insertion layered metal-organic polymer displaying graphite-like properties, 678
Assemblies based on *trans*-oxamidato-bridged copper(II) building blocks and the spacer succinate, 695
A new 3-D neutral framework coordination polymer constructed via square pyramidal binuclear Cu(II) and nicotinato ligand, 716
Coordination polymers
Self-assembly of a new "4,4′-bipyridyl-based" building block with Cd(II) and Co(II) cations: synthesis and crystal structures of 1- and 2-D coordination polymers, 168
Assembly of tris(2-aminoethyl)amines and its unusual conversion by silver(I) ions, 241
Hydrothermal synthesis of three new 3-D framework rare-earth mellitates, 467
Copper (II)
Mononuclear copper (II) salicylate imidazole complexes derived from copper (II) aspirinate. Crystallographic determination of three copper geometries in a unit cell, 119
Copper complex
The crystal structure of first copper(II) complex of a pyridine-2-carboxamidrazone – a potential antitumor agent, 26
One-dimensional oxalato-bridged copper(II) complex possessing two structurally different metallic centres, 350
The first metal complex containing a silylated β-diketonate ligand: bis(2,2,6,6-tetramethyl-2-sila-3,5-heptanedionato) copper(II), 496
A novel one-dimensional oxalato-bridged copper(II) complex with 2,2′-bipyridine, 640
Copper complexes
Unexpected chlorination of a pyrazole ligand. Structural characterisation of a new binuclear Cu(II) complex, 610
Copper nicotinate
A new 3-D neutral framework coordination polymer constructed via square pyramidal binuclear Cu(II) and nicotinato ligand, 716
Copper(I) complex
Synthesis, crystal structure, and characterization of mixed-ligand complex of copper(I) with drug of norfloxacin and triphenyl phosphine: $[Cu(PPh_3)_2(H\text{-}Norf)]ClO_4$, 346
Synthesis and crystal structure of the first Cu(I)-benzotrizolate complex $[Cu_4(bta)_3(PPh_3)_4][Cu(PPh_3)_3](BF_4)_2$: a unique tetrametallic fragment like a reverse-umbrella, 483
The first copper(I) complex of tris(hydroxymethyl)phosphine, 490
Copper(I) complexes
Electrical transport properties of a supramolecular assembly, 507

Copper(II) complex
The synthesis and structure of nickel(II) and copper(II) complexes with N,N-dimethyl-N′-(2,4-dichlorophenoxy)acetyl hydrazine, 134
Synthesis and characterization of a polymeric copper (II) complex bridged with perchlorate ion: X-ray crystal structure of Cu(*N*,*N*′-bis(3-aminopropyl)ethylenediamine)$(ClO_4)_2 \cdot H_2O$, 264
Synthesis of a novel μ-acetate bridged dinuclear Cu(II) complex as model compound for the active site of tyrosinase: crystal structure, magnetic properties and catecholase activity, 753
Copper(II) complexes
Formation of *N*-2-hydroxyalkylpyridine-2-carboxamidines in the coordination sphere of copper(II). The crystal structure of dibromo-bis(*N*-2-hydroxypropylpyridine-2-carboxamidine-N,N′) copper(II), 66
Synthesis, characterization and crystal structure of a new unsymmetric tetranuclear copper-carbonate complex: reversible CO_2 fixation, 354
Crystal structure and magnetic properties of a Cu_4O_4 cubane complex with N-(2-hydroxybenzyl)-propanolamine, 558
Copper(II)-peroxide adduct
Oxygenation of amyloid beta-peptide (1–40) by copper(II) complex and hydrogen peroxide system, 86
CP/MAS NMR
Metal-substituted ketenes: first ^{13}C and ^{31}P CP/MAS NMR determinations, 145
Crown ether
The influence of water molecules on the complex formation between K^+ and 18-crown-6 and the cryptand (222) in chloroform, 211
Crown ethers
Silver complexes with large crown ethers in propylene carbonate, 9
Chloroform as solvent for the complex formation of alkaline salts with crown ethers and cryptands, 53
Cryptand
Chloroform as solvent for the complex formation of alkaline salts with crown ethers and cryptands, 53
The influence of water molecules on the complex formation between K^+ and 18-crown-6 and the cryptand (222) in chloroform, 211
Crystal engineering
'Chicken-coop' network assembled by hydrogen bonds with bridging nitrate ions. Crystal structure of bis(4,4′-bipyridinium) diaquatetraisothiocyanatonickellate(II) dinitrate, 76
Crystal structure
Dirhodium(II) carboxylate complexes as building blocks. Synthesis of dimeric species as connectors for macrocycles, 16
First complex containing a $Pd_2(\mu_2\text{-}N{=}CPh_2)_2$ functional group, 23
Synthesis and crystal structure of *trans*-nitrosoaquatetraammineruthenium(II) sulphate hydrosulphate, $[Ru(NO)(NH_3)_4(H_2O)](SO_4)(HSO_4)$, 33
Five co-ordination at platinum(II) in a water soluble tertiary phosphine complex: crystal structure of $[Pt(PTA)_3(I)_2]\cdot CH_3OH$, 49
Formation of *N*-2-hydroxyalkylpyridine-2-carboxamidines in the coordination sphere of copper(II). The crystal structure of dibromo-bis(*N*-2-hydroxypropylpyridine-2-carboxamidine-N,N′) copper(II), 66
Unusual molecular ladder structure containing zinc(II) and natural T-shape ligand nitrilotriacetate, 79
Preparation and structural feature of a novel class of macrocycles containing (η^4-diene)$Fe(CO)_3$, 90
Heteropolymetallic assemblies constructed from homometallic coordination polymers and paramagnetic metal-containing anions. Synthesis, crystal structure and magnetic properties of [Mn(4,4′-bipyridine-N,N′-dioxide) $(H_2O)_4$][Cr(bipy) $(C_2O_4)_2]_2\cdot 8H_2O$, 111
Mononuclear copper (II) salicylate imidazole complexes derived from copper (II) aspirinate. Crystallographic determination of three copper geometries in a unit cell, 119
Synthesis, molecular structure and catalytic activity of the bis- (phenylacetylene) complex $[WI_2(CO)(NCMe)(\eta^2\text{-}HC_2Ph)_2]$, 124
A novel tetranuclear iron complex $[Fe_4O_2(O_2CC_2H_5)_7(bipy)_2]PF_6\cdot 2H_2O$ (bipy = 2,2′-bipyridine): crystal structure and magnetic property, 138
Synthesis and crystal structure of $[Ru_2(\mu\text{-}pyS)_3(pyS)_2](CF_3SO_3)$: the first Ru(III) complex of 2-mercaptopyridine, 142
Nickel-mediated alcoholysis reaction of carbon–nitrogen triple bond: structural characterization of an unprecedented moisture stable imido ester with an *E*-configuration, 150
Self-assembly of a new "4,4′-bipyridyl-based" building block with Cd(II) and Co(II) cations: synthesis and crystal structures of 1- and 2-D coordination polymers, 168
Reaction of $[(CO)_4Mo(\mu\text{-}Cl)_3Mo(SnCl_3)(CO)_3]$ with PhC≡CPh. X-ray crystal structure of $[Mo_3(\mu_3\text{-}O)(\mu_3\text{-}Cl)(\mu_2\text{-}Cl)(\mu_2\text{-}OH)_2(O)(\eta^2\text{-}PhC{\equiv}CPh)_5]$, 183
Synthesis, structure and spontaneous resolution of $[Pd_2Cl_2(DpyF)_2]$ ($DpyF^-$ = anion of bis(2-pyridyl)formamidine); a new chelating/bridging bonding mode of $DpyF^-$ ligand, 201
Cis-dichloro-bis-2-(2-pyridyl)-4-(methylcarboxy)quinoline ruthenium (II): a novel ruthenium (II) tris-chelated building precursor, 237
A new defective derivative of a ring-shaped nanosize polyoxomolybdate: synthesis and structure of $Na_{28}[Mo^{VI}_{112}Mo^{V}_{28}O_{427}H_{14}(H_2O)_{56}]\cdot$ ca. $300H_2O$, 245
An interesting network of an asymmetric binuclear molybdenum complex formed via O—H···O and C—H···O_{CO} hydrogen bonds and stacking interactions, 285
A novel maze-type network assembled by copper(II) and 2,2′-dicarboxydiphenylthioether: $[(Cu_4(C_5H_5N)_8\{S(C_6H_4CO_2)_2\}_4(H_2O)_2]\cdot 2H_2O)_n$, 315
Refutation of an alleged example of a disordered but centrosymmetric triboluminescent crystal, 319
A novel one-dimensional, ferromagnetic copper(II) complex with chloro-bridges and hydrogen-bonds: $[(PDA)_2Cu_2(Cl)_2][CuPz_2(H_2O)_4]$ (H_2PDA = pyridine-2,6-dicarboxylic acid, Pz = pyrazole), 327
A novel protonated boranoamino acid amide derivative, $(CH_3)_3N\cdot BH_2C(OH){=}N^+HC_2H_5Cl^-$: A synthetic and structural investigation, 336
Synthesis, crystal structure, and characterization of mixed-ligand complex of copper(I) with drug of norfloxacin and triphenyl phosphine: $[Cu(PPh_3)_2(H\text{-}Norf)]ClO_4$, 346
One-dimensional oxalato-bridged copper(II) complex possessing two structurally different metallic centres, 350
Synthesis, characterization and crystal structure of a new unsymmetric tetranuclear copper-carbonate complex: reversible CO_2 fixation, 354
A linear piperazine–pyridine ligand and its Hg coordination polymer, 358
Synthesis and X-ray crystal structure of $Rh(ppy)_2(OAc)$ (ppyH = 2-phenylpyridine): a rhodium(III) complex as a catalyst for oxidative arylation of ethylene with benzene, 365
Synthesis, molecular structure and fluorescence of an organic–inorganic hybrid complex $[Eu(NO_3)_6][(Hphen)_6\cdot(NO_3)_2]\cdot NO_3$ (phen = 1,10-phenanthroline), 368
Synthesis and characterization of a novel tetranuclear nickel(II) complex: $[Ni_4(\mu\text{-}OH)_2(\mu\text{-}dppn)_4(\mu\text{-}H_2O)_2](Cl)(ClO_4)_5\cdot 9H_2O$ (dppn = 3,6-bis(2-pyridyl)pyridazine), 377

An unprecedented three-dimensional network cadmium coordination polymer containing isonicotinato *N*-oxido ligand with strong yellow fluorescent emission, 405
A novel complex of sandwich layers having disordered symbiotic distribution of azido group and water molecules, 416
A new cyanato-bridged polymeric complex $[Cd_3(NCO)_6(NH_2CH_2C_5H_4N)_3]_n$ with a zig–zag ladder shaped structure, 419
Synthesis and crystal structure of a novel compound constructed from tris-(2,2′-bipy)ruthenium(II) and decatungstate, 427
Preparation, characterization, and X-ray crystal structure of a one-dimensional calcium-based coordination polymer with strong blue fluorescent emission, 430
Synthesis and structures of two novel heterometallic polymers, 444
Synthesis and structure of a novel infinite triple helices coordination polymer $\{[Mn(bipy)(azpy)_2(NCS)_2]\cdot H_2O\}_n$(bipy = 4, 4′-bipyridine, azpy = 4, 4′-azobispyridine), 451
Deprotonation of a ruthenium (II) complex incorporating a bipyrazole ligand leading to optical and electrochemical switching, 475
The first metal complex containing a silylated β-diketonate ligand: bis(2,2,6,6-tetramethyl-2-sila-3,5-heptanedionato) copper(II), 496
Synthesis and crystal structure of a one-dimensional coordination polymer of nickel(II) with 4′-(imidazol-1-ylmethyl)benzoate anion, 501
A single-molecular magnet: $[Mn_{12}O_{12}(O_2CCH_2Br)_{16}(H_2O)_4]$, 511
Synthesis of {1,3-bis(η^5-tetramethylcyclopentadienyl)-1,1,3,3-tetramethyldisiloxane}dichlorotitanium(IV) via hydrolysis of bis{η^5-(*N*,*N*-dimethylaminodimethylsilyl) tetramethylcyclopentadienyl}dichlorotitanium(IV), 520
Synthesis and structure of a high-nuclearity oxomolybdenum(V) complex, $[Mo_{12}O_{28}(OC_2H_5)_4(C_6H_7N)_8]$, 537
Hydrothermal synthesis and structure of a bi-capped 1D chain $(H_2en)_3H_3O[Mo_8V_4O_{36}(VO_4)(VO)_2]\cdot 4H_2O$, 541
Synthesis and crystal structure of a novel vanadium-containing tungstobismutate(III) $K_{12}[(VO)_3(BiW_9O_{33})_2]\cdot 30H_2O$, 551
A blue luminescent di-2-pyridylamine cadmium complex with an unexpected arrangement of thiocyanate ligands: a supramolecular layered structure based on hydrogen bonds and π–π stacking interactions, 577
Hydrothermal synthesis and characterization of the coordination polymer $[Zn(bbdc)(H_2O)]_n$ (bbdc=4,4′-bibenzene-dicarboxylate) possessing a 3D network structure, 599
One-pot synthesis of manganese(I) and rhenium(I) alkylcarbonato complexes, *fac*-$(CO)_3$(dppp)MOC(O)OR. Possible trapping of intermediate diphosphine dimers, $[(CO)_3(dppp)M]_2$, 602
Unusual reactions of ruthenium–polycyanocarbon complexes: formation of an η^2-CNR ligand and cleavage of C(sp^2)–CN bonds, 617
Hydrothermal synthesis and structure of a bi-capped Keggin polyoxoanion, $[As_2^{III}As^{V}Mo_8V_4^{IV}O_{40}]^{5-}$, 632
A novel one-dimensional oxalato-bridged copper(II) complex with 2,2′-bipyridine, 640
Novel hexamercaptotin: synthesis and characterization of $[N(CH_3)_4]_2Sn(SH)_6$ and $[N(C_2H_5)_4]_2Sn(SH)_6$ complexes, 643
Carbon–oxygen bond formation at organopalladium centres, 648
A new dicopper(II) complex with macrocyclic hexaaza bearing hydroxyethyl pendants, 651
Mononuclear zinc(II) complexes of *N*,*N*′-bis(2-hydroxy-4-nitrophenylmethyl)-*N*,*N*′-bis(2-pyridylmethyl)-1,*n*-alkanediamines, 664
Nickel(II) induced cleavage of the iminic pendant arm in unsymmetrical Schiff base compartmental ligands, 667
Synthesis and characterization of the first poly(imidazolyl)borate organotin(IV) complex exhibiting a polymeric chain structure, 708
Synthesis and structural characterization of an alternating double aquo-bridged and single cyano-bridged polymeric barium–iron complex: $\{[Ba_2(phen)_4(H_2O)_6Fe(CN)_6]\cdot Cl\cdot 2(phen)\cdot 3H_2O\}_n$, 712
Phenanthroline–manganese inclusion complexes of dicarboxylic acid containing extensive hydrogen-bonding interactions, 730
New ferrocene-derived hydroxymethylphosphines: $FcP(CH_2OH)_2$ [Fc = (η^5-C_5H_5)Fe(η^5-C_5H_4)] and the dppf analogue 1,1′-Fc′[$P(CH_2OH)_2$]$_2$ [Fc′ = Fe(η^5-C_5H_4)$_2$], 741
Structural characterisation of *rac*-bis(2,2′-bipyridine)(2,5-dipyridylpyrazine)ruthenium(II) hexafluorophosphate; a key building block for metallodendrimers, 749
Synthesis of a novel μ-acetate bridged dinuclear Cu(II) complex as model compound for the active site of tyrosinase: crystal structure, magnetic properties and catecholase activity, 753

Crystal structures
One- and two-dimensional framework materials constructed from the mixed Mo/V tetra-capped Keggin structure clusters and M(en)$_2$ (M = Ni, Cu) complexes groups, 1
Transmetallation. Synthesis of a novel acetato bridged low-spin Co(II)–Zn(II) heterodinuclear complex from an acetato bridged one-dimensional Zn(II) polymer, 195
Re(V) thiosalicylate complexes. Crystal structure of $(Ph_4As)[ReO(SC_6H_4CO_2)_2py]\cdot H_2O$, 261
Re(V) thiosalicylate complexes. Crystal structure of $(Ph_4As)[ReO(SC_6H_4CO_2)_2py]\cdot H_2O$, 261
Crystal structure and magnetic properties of a Cu_4O_4 cubane complex with N-(2-hydroxybenzyl)-propanolamine, 558
The first octanuclear tin(IV)–oxosulfide cluster, 574
Unexpected chlorination of a pyrazole ligand. Structural characterisation of a new binuclear Cu(II) complex, 610

Cu^+ and Co^{2+}
Photoluminescence characteristics of ZnS nanocrystallites co-doped with Co^{2+} and Cu^{2+}, 734

Cubane
Electrospray mass spectrometry of $[Ru_4(\eta^6\text{-}C_6H_6)_4(OH)_4]^{4+}$: first direct evidence for the persistence of the cubane unit in solution and its role as a precatalyst in the hydrogenation of benzene, 571

Cyanato bridge
A new cyanato-bridged polymeric complex $[Cd_3(NCO)_6(NH_2CH_2C_5H_4N)_3]_n$ with a zig–zag ladder shaped structure, 419

Cyanide
Synthesis and structures of two novel heterometallic polymers, 444
Coordination chemistry of CNH, the simplest isocyanide, 585

Cyanide complex
2D structure with rectangular grids woven by coordination chains and pseudo-metal wires, 41

Cyanoboranes
The first substituted boranonucleic acids: a novel synthetic route, 629

Cyano-bridge
Synthesis and structural characterization of an alternating double aquo-bridged and single cyano-bridged polymeric barium–iron complex: $\{[Ba_2(phen)_4(H_2O)_6Fe(CN)_6]\cdot Cl\cdot 2(phen)\cdot 3H_2O\}_n$, 712

Cyano-bridged complexes
New polymeric structure of rhenium octahedral chalcocyanide complex: Ln^{3+}-derived network with one-dimensional channels, 423

Cyanocarbon
Unusual reactions of ruthenium–polycyanocarbon complexes: formation of an η^2-CNR ligand and cleavage of C(sp^2)–CN bonds, 617

Cycloaddition
Coordination chemistry of CNH, the simplest isocyanide, 585
Cyclopentadienyl
Coordination complexes of β-thioether appended tetraazaporphyrin, 219
Synthesis, characterization and catalytic activity of some organolanthanides in ethylene polymerization, 582
d-Camphor-β-sulphonic acid
Chiroptical Lanthanide(III) schiff base complexes derived from *p*-Nitrophenyl-hydrazine and D-Camphor-sulphonic acid, 248
1D Chain
Hydrothermal synthesis and structure of a bi-capped 1D chain $(H_2en)_3H_3O[Mo_8V_4O_{36}(VO_4)(VO)_2]\cdot 4H_2O$, 541
1-D
Syntheses, structures and magnetic properties of 1-D coordination polymers containing both dicyanamide and 2-pyrrolidone, 72
3-D cobalt(II)-coordination polymer
A three-dimensional cobalt(II)-coordination polymer based on 3,5-pyridinedicarboxylate, 297
1D coordination polymer
Synthesis and crystal structure of a one-dimensional coordination polymer of nickel(II) with 4′-(imidazol-1-ylmethyl)benzoate anion, 501
3-D structure
A new 3-D neutral framework coordination polymer constructed via square pyramidal binuclear Cu(II) and nicotinato ligand, 716
Decatungstate
Synthesis and crystal structure of a novel compound constructed from tris-(2,2′-bipy)ruthenium(II) and decatungstate, 427
Density functional theory
A molybdenum-centred model for nitrogenase catalysis, 60
DFT calculation and X-ray structure of nitrosyl pentaammine chromium complex, 413
Deprotonation
Coordination chemistry of CNH, the simplest isocyanide, 585
Derivatized boranes
The first substituted boranonucleic acids: a novel synthetic route, 629
2,6-diacetylpyridine derivative
Ni(II) complexes with neutral and dianionic form of 2,6-diacetylpyridine bis(acylhydrazones). Crystal structure of bis[dioxo-2,6-pyridinediylbis(ethylidyne-1-hydrazinyl-2-ylidene)diacetic acid]nickel(II) perchlorate, 311
Diastereoisomer
Syntheses and X-ray structures of half-sandwich *o*-methoxylbenzyl-indenyl zirconium complexes with coordinated THF, 515
Diastereomer
Stereoisomerically controlled supramolecular architectures: a new strategy for the construction of enantio- and diastereomerically pure multinuclear Ru^{II} complexes, 45
Diazo compounds
Catalytic activity of dicationic platinum(II) and rhodium(II) complexes towards 9-diazofluorene, 281
Dicarbadodecaborane
Substituent effect on the carborane coupling reaction: synthesis and crystal structure of 1-phenyl-2-[2,3-benzobicyclo(3,3,0)-1-oxo-4-oxa-7-aza-8-yl]-1,2-dicarba-closo-dodecaborane(12), 180
Synthesis and crystal structure of 1,2-bis(phthalimidomethyl)-1,2-dicarba-*closo*-dodecaborane(12): a precursor to polyamines, 447
2,2′-Dicarboxydiphenylthioether
A novel maze-type network assembled by copper(II) and 2,2′-dicarboxydiphenylthioether: $[(Cu_4(C_5H_5N)_8\{S(C_6H_4CO_2)_2\}_4(H_2O)_2]\cdot 2H_2O)_n$, 315
Dicarboxylic acid
Phenanthroline–manganese inclusion complexes of dicarboxylic acid containing extensive hydrogen-bonding interactions, 730
Dicyanamide
Syntheses, structures and magnetic properties of 1-D coordination polymers containing both dicyanamide and 2-pyrrolidone, 72
(η^4-Diene)tricarbonyliron
Preparation and structural feature of a novel class of macrocycles containing (η^4-diene)$Fe(CO)_3$, 90
2,2′-di(hydroxymethyl)biphenyl
tert-butylaluminium complex of 2,2′-di(hydroxymethyl)biphenyl: intra-molecular hydrogen bonding, 757
Dimeric copper(II) acetate
A three-dimensional framework of dimeric copper(II) acetate linked by coordinated sodium cations, 504
Dimers
Dirhodium(II) carboxylate complexes as building blocks. Synthesis of dimeric species as connectors for macrocycles, 16
Dimolybdenum quadruple bonds
A molecular propeller with three quadruply-bonded blades, 130
Dinuclear complex
Syntheses and structures of μ-[*N*,*N*′-bis(2-aminoethyl)-1,2-ethanediamine-*N*1,*N*1′,*N*2,*N*2′]-bis[*N*,*N*′-(bis(2-aminoethyl)-1,2-ethanediamine-*N*,*N*′,*N*″,*N*‴)]dinickel(II) perchlorate (**1**) and 4,4′-biphenyldisulfonate (**2**), 478
Dinuclear complexes
Synthesis and crystal structure of $[Ru_2(\mu\text{-}pyS)_3(pyS)_2](CF_3SO_3)$: the first Ru(III) complex of 2-mercaptopyridine, 142
Transmetallation. Synthesis of a novel acetato bridged low-spin Co(II)–Zn(II) heterodinuclear complex from an acetato bridged one-dimensional Zn(II) polymer, 195
Unexpected chlorination of a pyrazole ligand. Structural characterisation of a new binuclear Cu(II) complex, 610
Dinuclear Cu(II) complex
A new dicopper(II) complex with macrocyclic hexaaza bearing hydroxyethyl pendants, 651
Dinuclear iron(III) complex
Hydrolytic DNA cleavage promoted by a dinuclear iron(III) complex, 388
Dinuclear nickel(II) complex
Nickel(II) induced cleavage of the iminic pendant arm in unsymmetrical Schiff base compartmental ligands, 667
Dinuclearizing reaction
Photoinduced denitrosyl dinuclearizing reaction of dinitrosyl-molybdenum $[Mo(didentate\text{-}N,S)_2(NO)_2]$ complexes, 661
Dipalladium complex
Synthesis, structure and spontaneous resolution of $[Pd_2Cl_2(DpyF)_2]$ ($DpyF^-$ = anion of bis(2-pyridyl)formamidine); a new chelating/bridging bonding mode of $DpyF^-$ ligand, 201
1,1′ -diphosphaferrocene
Planar chiral derivatives of 1,1′-diphosphaferrocene with potential application in nonlinear optics, 205
Diphosphine ligand
Preparation and characterization of an unusual tetracobalt-complex; X-ray crystal structure of $[Co_2(CO)_5\{\mu\text{-}P,P(\mu\text{-}PPh_2C{\equiv}CPPh_2)\}][Co_2(CO)_4\{\mu\text{-}P\text{-}(\mu\text{-}PPh_2C{\equiv}CPPh_2)\}]$, 723
2,5-Dipyridylpyrazine
Structural characterisation of *rac*-bis(2,2′-bipyridine)(2,5-dipyridylpyrazine)ruthenium(II) hexafluorophosphate; a key building block for metallodendrimers, 749
Dirhenium complexes
Unusual dirhenium complexes containing the bis[2-(diphenylphosphino)phenyl]ether ligand including a terephthalate-bridged tetrarhenium compound, 745

Dirhodium tetracarboxylates
Dirhodium(II) carboxylate complexes as building blocks. Synthesis of dimeric species as connectors for macrocycles, 16
Disproportionation
Synthesis of cyano(ergothionine)gold(I) complex and its disproportionation in solution, 362
1,3-dithiolo-2-thione-4,5-dithiolate
$[Au^{II}(dmit)_2]^{2-}$-X-band EPR spectra of a new monomeric Au(II) complex, 626
Dithiosquarate
Bis(1,2-dithiosquarato)tellurate(II) a new chalcogenochalcogenate, 342
Diynes
Reactivity of $[Ru_3(\mu\text{-}H)(\mu\text{-}Me_2pz)(CO)_{10}]$ with 2,4-hexadiyne. Characterization of the first tetranuclear ynenyl complex, 57
DMF
The first octanuclear tin(IV)–oxosulfide cluster, 574
DNA
Intramolecular charge transfer excitation of *meso*-tetrakis (1-pyrenyl) porphyrinato gold(III) acetate. Photosensitized oxidation of guanine, 160
DNA cleavage
Hydrolytic DNA cleavage promoted by a dinuclear iron(III) complex, 388
Drug–DNA interaction
Hydrolytic DNA cleavage promoted by a dinuclear iron(III) complex, 388
E-configuration
Nickel-mediated alcoholysis reaction of carbon–nitrogen triple bond: structural characterization of an unprecedented moisture stable imido ester with an *E*-configuration, 150
Electrical conductivity
Preparation, characterization and electrical conductivity of heterometallic complexes derived from 2-sulfanylbenzothiazolate, 454
Electrical transport properties of a supramolecular assembly, 507
Electrochemical synthesis
The electrochemical synthesis and X-ray single crystal study of $Re_4O_6(O^iPr)_{10}$ – a new Rhenium(V, VI) cluster with an unprecedented arrangement of metal–metal bonds, 227
Electrochemistry
A molecular propeller with three quadruply-bonded blades, 130
Coordination chemistry of CNH, the simplest isocyanide, 585
Electrolyte
Inorganic composite CdS/heteropolyanion nanoparticles with salt-like structures, 527
Electron transfer
Pronounced effects of counterions on intramolecular electron transfer in 1′,1‴-dinaphthylmethylbiferrocenium cation, 82
Electronic coupling
Unusual dirhenium complexes containing the bis[2-(diphenylphosphino)phenyl]ether ligand including a terephthalate-bridged tetrarhenium compound, 745
Electronic spectra
Photoreduction of aqueous ferrioxamine B by oxalate induced by outer-sphere charge transfer excitation, 215
Electronic spectra of solid pentakis(dimethylamido)tantalum(V), 252
Photoreactivity of hexakis[μ-(acetato-O:O′)]-μ_3-oxotriruthenium(III) cation. Photoreduction by oxalate, 689
Electrophilic aromatic substitution
The effect of zinc–bromine interactions on electrophilic bromination in concentrated $ZnBr_2$ solutions, 705
Electrospinning
Crystal engineering of an inclusion coordination polymer with cationic pocket-like structure and its property to form metal–organic nanofibers, 459
Electrospray mass spectrometry
Electrospray mass spectrometry of $[Ru_4(\eta^6\text{-}C_6H_6)_4(OH)_4]^{4+}$: first direct evidence for the persistence of the cubane unit in solution and its role as a precatalyst in the hydrogenation of benzene, 571
Electrospray mass-spectrometry
Oxygenation of amyloid beta-peptide (1–40) by copper(II) complex and hydrogen peroxide system, 86
Electrostatic interaction
Electrostatically controlled intercalation of Keggin anions into thermally evaporated fatty amine films, 568
Enantiomer
Stereoisomerically controlled supramolecular architectures: a new strategy for the construction of enantio- and diastereomerically pure multinuclear Ru^{II} complexes, 45
EPR
Bis(1,2-dithiosquarato)tellurate(II) a new chalcogenochalcogenate, 342
EPR-spectroscopy
$[Au^{II}(dmit)_2]^{2-}$-X-band EPR spectra of a new monomeric Au(II) complex, 626
Ergothionine
Synthesis of cyano(ergothionine)gold(I) complex and its disproportionation in solution, 362
ES-MS
A new dicopper(II) complex with macrocyclic hexaaza bearing hydroxyethyl pendants, 651
ESR spectrum
A three-dimensional framework of dimeric copper(II) acetate linked by coordinated sodium cations, 504
Ethylene migration
Assembly of tris(2-aminoethyl)amines and its unusual conversion by silver(I) ions, 241
Eu(III)
UV–Vis observation of different $^7F_0 \rightarrow {}^5D_0$ transitions for both isomeric species in Eu(III) DOTA-like complexes, 719
Europium complex
Refutation of an alleged example of a disordered but centrosymmetric triboluminescent crystal, 319
Synthesis, molecular structure and fluorescence of an organic–inorganic hybrid complex $[Eu(NO_3)_6][(Hphen)_6 \cdot (NO_3)_2] \cdot NO_3$ (phen = 1, 10-phenanthroline), 368
EXAFS
XANES and EXAFS investigations of bonding and structure of Ni and Co derivatives from Prussian Blue coordination compounds, 153
Exfoliation
Intercalation of organic dyes in the layered host lattice V_2O_5, 63
Exo-polyhedral
Substituent effect on the carborane coupling reaction: synthesis and crystal structure of 1-phenyl-2-[2,3-benzobicyclo(3,3,0)-1-oxo-4-oxa-7-aza-8-yl]-1,2-dicarba-closo-dodecaborane(12), 180
Extraction
Lanthanide(III) complexes of a highly efficient actinide(III) extracting agent – 2,6-bis(5,6-dipropyl-1,2,4-triazin-3-yl)pyridine, 12
Unusual complexes formed by the early lanthanides with 2, 6-bis(5, 6-dialkyl-1, 2, 4-triazin-3-yl)-pyridines, 462
Fe(II)
The hydrothermal synthesis and structure of a one-dimensional Fe(II)molybdophosphate, 699
Ferrimagnetic
Structure and magnetic properties of ferrimagnetic chain formed by manganese(II) and nitronyl nitroxides, 322

Ferrocene compounds
New ferrocene-derived hydroxymethylphosphines: $FcP(CH_2OH)_2$ [$Fc = (\eta^5\text{-}C_5H_5)Fe(\eta^5\text{-}C_5H_4)$] and the dppf analogue 1,1′-$Fc'[P(CH_2OH)_2]_2$ [$Fc' = Fe(\eta^5\text{-}C_5H_4)_2$], 741
Ferrocenes
Preparation and structures of 1′-(diphenylphosphino)ferrocenecarboxaldehyde and {1′-(diphenylphosphino)ferrocenyl}methanol, 682
Ferromagnetic interaction
A novel one-dimensional, ferromagnetic copper(II) complex with chloro-bridges and hydrogen-bonds: $[(PDA)_2Cu_2(\mu\text{-}Cl)_2][CuPz_2(H_2O)_4]$ (H_2PDA = pyridine-2,6-dicarboxylic acid, Pz = pyrazole), 327
Five-coordinate platinum(II)
Five co-ordination at platinum(II) in a water soluble tertiary phosphine complex: crystal structure of $[Pt(PTA)_3(I)_2]\cdot CH_3OH$, 49
Fluorescence
Synthesis, molecular structure and fluorescence of an organic–inorganic hybrid complex $[Eu(NO_3)_6][(Hphen)_6 \cdot (NO_3)_2] \cdot NO_3$ (phen = 1, 10-phenanthroline), 368
Formation conditions
Synthesis of a novel voltammetrically active isopolyoxotungstate anion, $[H_6W_{18}O_{60}]^{6-}$, 5
Formation mechanism
Preparation and characterization of CdS nanoparticles by ultrasonic irradiation, 208
Framework substitution
Preparation of layer structure birnessite by air oxidation: synthetic factors and framework dopant effects, 493
Gadolinacarborane
The first dimeric half-sandwich gadolinacarborane of the "carbons apart" C_2B_4-carborane ligand system, 104
Gaseous CO
Purification of gaseous CO from $Fe(CO)_5$ traces formed in steel storage cylinders, 613
Giant polyoxomolybdate
A new defective derivative of a ring-shaped nanosize polyoxomolybdate: synthesis and structure of $Na_{28}[Mo^{VI}_{112}Mo^{V}_{28}O_{427}H_{14}(H_2O)_{56}] \cdot$ ca. $300H_2O$, 245
Gold(I)
Synthesis of cyano(ergothionine)gold(I) complex and its disproportionation in solution, 362
Gold(II) complexes
$[Au^{II}(dmit)_2]^{2-}$-X-band EPR spectra of a new monomeric Au(II) complex, 626
Gold
Intramolecular charge transfer excitation of *meso*-tetrakis (1-pyrenyl) porphyrinato gold(III) acetate. Photosensitized oxidation of guanine, 160
Graphite property
An unprecedented mixed-valent-copper mutual-face-insertion layered metal-organic polymer displaying graphite-like properties, 678
Group-4-metallacarborane
The first half-sandwich d^0-metallacarboranes stabilized by metal–nitrogen sigma bond using $C_{(cage)}$-appended anionic alkylamido moiety: a synthetic investigation, 486
$[H_6W_{18}O_{60}]^{6-}$
Synthesis of a novel voltammetrically active isopolyoxotungstate anion, $[H_6W_{18}O_{60}]^{6-}$, 5
Half-sandwich
The first half-sandwich d^0-metallacarboranes stabilized by metal–nitrogen sigma bond using $C_{(cage)}$-appended anionic alkylamido moiety: a synthetic investigation, 486
Half-sandwich complex and metallacarborane
The first dimeric half-sandwich gadolinacarborane of the "carbons apart" C_2B_4-carborane ligand system, 104
Half-sandwich zirconium complex
Syntheses and X-ray structures of half-sandwich *o*-methoxylbenzylindenyl zirconium complexes with coordinated THF, 515
Heterobimetallic complexes
Interaction of Rh(I) with a new polydentate O_4,N-donor pyrazolone able to form mononuclear, dinuclear and heterobimetallic compounds, 290
Heterometallic 2-sulfanylbenzothiazolate complexes
Preparation, characterization and electrical conductivity of heterometallic complexes derived from 2-sulfanylbenzothiazolate, 454
Heterometallic complexes
Structure of a tetranuclear heterometallic Ag(I)–Pt(II) complex with a triazolopyrimidine derivative, 254
Heterometallic polymers
Synthesis and structures of two novel heterometallic polymers, 444
Heteronuclear
Highly stable open frameworks of Ln–Cu (Ln = La, Ce) 3D coordination polymers containing spacious hexagon channels and unusual μ_2-H_2O bridges, 301
Heteropolyanions
Inorganic composite CdS/heteropolyanion nanoparticles with salt-like structures, 527
Heteropolymolybdovanadates
Hydrothermal synthesis and structure of a bi-capped 1D chain $(H_2en)_3H_3O[Mo_8V_4O_{36}(VO_4)(VO)_2] \cdot 4H_2O$, 541
Hexanuclear complex
A molecular propeller with three quadruply-bonded blades, 130
Homogeneous catalysis
Synthesis and X-ray crystal structure of $Rh(ppy)_2(OAc)$ (ppyH = 2-phenylpyridine): a rhodium(III) complex as a catalyst for oxidative arylation of ethylene with benzene, 365
Host–guest complex
Diaquabis(4, 4′-bipyridine)copper(II) di(*o*-sulfobenzimidate) dichloromethane solvate, a two-dimensional $Cu_4(4,4'C_5H_4NC_5H_4N)_4$ rhombic grid clathrating guest dichloromethane, 766
Hybrid material
Structure-directing influences of dipodal organoimine ligands: hydrothermal synthesis and structure of a three-dimensional cobalt vanadate, $[Co_3(bpypr)_4(H_2O)_4V_6O_{18}] \cdot 2H_2O$ (bpypr= 1,3-di-4-pyridylpropane), 621
Hydrazine
Preparation of bis(hydrazine) complexes of iron(II), 402
Hydro-arylation
A palladium complex containing a new C_2-symmetric bidentate non-racemic oxalamidine ligand: synthesis and catalytic properties, 471
Hydrogen bond
Highly stable open frameworks of Ln–Cu (Ln = La, Ce) 3D coordination polymers containing spacious hexagon channels and unusual μ_2-H_2O bridges, 301
Hydrogen bonds
'Chicken-coop' network assembled by hydrogen bonds with bridging nitrate ions. Crystal structure of bis(4,4′-bipyridinium) diaquatetraisothiocyanatonickellate(II) dinitrate, 76
Structure of [2,6-bis(dimethylamino)methyl]phenyltin tribromide hydrate, 257
An interesting network of an asymmetric binuclear molybdenum complex formed via O—H···O and C—H···O_{CO} hydrogen bonds and stacking interactions, 285
Crystal structure and magnetic properties of a Cu_4O_4 cubane complex with N-(2-hydroxybenzyl)-propanolamine, 558
A blue luminescent di-2-pyridylamine cadmium complex with an unexpected arrangement of thiocyanate ligands: a supramolecular layered structure based on hydrogen bonds and π–π stacking interactions, 577

Preparation and structures of 1′-(diphenylphosphino)ferrocenecarboxaldehyde and {1′-(diphenylphosphino)ferrocenyl}methanol, 682
Hydrogen isocyanide
Coordination chemistry of CNH, the simplest isocyanide, 585
Hydrogen-bond
Coordination chemistry of CNH, the simplest isocyanide, 585
Hydrogen-bonded complex
A novel one-dimensional, ferromagnetic copper(II) complex with chloro-bridges and hydrogen-bonds: $[(PDA)_2Cu_2(Cl)_2][CuPz_2(H_2O)_4]$ (H_2PDA = pyridine-2,6-dicarboxylic acid, Pz = pyrazole), 327
Hydrogen-bonding interactions
Assemblies based on *trans*-oxamidato-bridged copper(II) building blocks and the spacer succinate, 695
Hydrolysis
Synthesis of {1,3-bis(η^5-tetramethylcyclopentadienyl)-1,1,3,3-tetramethyldisiloxane}dichlorotitanium(IV) via hydrolysis of bis{η^5-(*N*,*N*-dimethylaminodimethylsilyl)tetramethylcyclopentadienyl}dichlorotitanium(IV), 520
Hydrothermal
An unprecedented mixed-valent-copper mutual-face-insertion layered metal-organic polymer displaying graphite-like properties, 678
Hydrothermal method
Synthesis of novel SbSI nanorods by a hydrothermal method, 339
Hydrothermal reaction
A new 3-D neutral framework coordination polymer constructed via square pyramidal binuclear Cu(II) and nicotinato ligand, 716
Hydrothermal reactions
Crystal engineering of an inclusion coordination polymer with cationic pocket-like structure and its property to form metal–organic nanofibers, 459
Hydrothermal synthesis
A novel 1D Cd^{II} coordination polymer with 4-sulfobenzoate and 2,2′-bipyridine containing an approximate rectangular molecular box unit with blue fluorescent emission, 384
Preparation, characterization, and X-ray crystal structure of a one-dimensional calcium-based coordination polymer with strong blue fluorescent emission, 430
Hydrothermal synthesis of three new 3-D framework rare-earth mellitates, 467
Hydrothermal synthesis and structure of a bi-capped 1D chain $(H_2en)_3H_3O[Mo_8V_4O_{36}(VO_4)(VO)_2] \cdot 4H_2O$, 541
Hydrothermal synthesis of two new zinc coordination polymers with mixed ligands, 561
Hydrothermal synthesis and characterization of the coordination polymer $[Zn(bbdc)(H_2O)]_n$ (bbdc=4,4′-bibenzene-dicarboxylate) possessing a 3D network structure, 599
Structure-directing influences of dipodal organoimine ligands: hydrothermal synthesis and structure of a three-dimensional cobalt vanadate, $[Co_3(bpypr)_4(H_2O)_4V_6O_{18}] \cdot 2H_2O$ (bpypr=1,3-di-4-pyridylpropane), 621
Hydrothermal synthesis and structure of a bi-capped Keggin polyoxoanion, $[As_2^{III}As^{V}Mo_8V_4^{IV}O_{40}]^{5-}$, 632
The hydrothermal synthesis and structure of a one-dimensional Fe(II)molybdophosphate, 699
Hydroxyethyl pendants
A new dicopper(II) complex with macrocyclic hexaaza bearing hydroxyethyl pendants, 651
Hydroxymethylphosphines
New ferrocene-derived hydroxymethylphosphines: $FcP(CH_2OH)_2$ [Fc = (η^5-C_5H_5)Fe(η^5-C_5H_4)] and the dppf analogue 1,1′-Fc′$[P(CH_2OH)_2]_2$ [Fc′ = Fe(η^5-C_5H_4)$_2$], 741
Imidazole
Mononuclear copper (II) salicylate imidazole complexes derived from copper (II) aspirinate. Crystallographic determination of three copper geometries in a unit cell, 119
Imido ester
Nickel-mediated alcoholysis reaction of carbon–nitrogen triple bond: structural characterization of an unprecedented moisture stable imido ester with an *E*-configuration, 150
Imidobenzoate
Carboxylate versus imidobenzoate bonding for anthranilic acid derivatives. Crystal structures of [W(η-C_5Me_5)Cl_3 (η^2-$O_2CC_6H_4NH_2$-2)] and [ReCl(OEt)$(PPh_3)_2(NC_6H_4CO_2)$], 95
Imidodiphosphates
The synthesis and characterization of *N*-(diphenylthiophosphinyl)-*P*-phenyl-thiophosphonamidic acid phenyl ester and related compounds chiral at phosphorus, 36
Imidodiphosphinates
The synthesis and characterization of *N*-(diphenylthiophosphinyl)-*P*-phenyl-thiophosphonamidic acid phenyl ester and related compounds chiral at phosphorus, 36
Impurity
Purification of gaseous CO from $Fe(CO)_5$ traces formed in steel storage cylinders, 613
Infrared spectroscopy
Preparation, characterization and electrical conductivity of heterometallic complexes derived from 2-sulfanylbenzothiazolate, 454
Inorganic precursor
Synthesis of supramolecular-templated mesostructured tin oxide, 223
Insertion reactions
Catalytic activity of dicationic platinum(II) and rhodium(II) complexes towards 9-diazofluorene, 281
Insertion
First examples of methylene insertion into the phosphorus(III)–nitrogen bond, 437
$\pi-\pi$ interaction
Assembly of a novel cyclic dimer encapsulating PF_6^- into the brick wall network, 674
Intercalation
Intercalation of organic dyes in the layered host lattice V_2O_5, 63
Interpenetration network
Synthesis and structure of a novel infinite triple helices coordination polymer $\{[Mn(bipy)(azpy)_2(NCS)_2] \cdot H_2O\}_n$(bipy = 4,4′-bipyridine, azpy = 4,4′-azobispyridine), 451
Intervalence
Proton-induced switching and control of intramolecular electron transfer on a benzotriazole-bridged symmetric mixed-valence ruthenium complex, 230
Intra-molecular hydrogen bonding
tert-butylaluminium complex of 2,2′-di(hydroxymethyl)biphenyl: intra-molecular hydrogen bonding, 757
Iron
Preparation of bis(hydrazine) complexes of iron(II), 402
Synthesis and structural characterization of an alternating double aquo-bridged and single cyano-bridged polymeric barium–iron complex: $\{[Ba_2(phen)_4(H_2O)_6Fe(CN)_6] \cdot Cl \cdot 2(phen) \cdot 3H_2O\}_n$, 712
Iron carbonyls
Purification of gaseous CO from $Fe(CO)_5$ traces formed in steel storage cylinders, 613
Iron complexes
Photoreduction of aqueous ferrioxamine B by oxalate induced by outer-sphere charge transfer excitation, 215
Iron enzyme
Crystal structure and magnetic properties of a new tetranuclear iron (III) complex with asymmetric iron coordination as a model for polynuclear iron proteins, 173

Isocyanide
Coordination chemistry of CNH, the simplest isocyanide, 585
Isocyanoborate
Coordination chemistry of CNH, the simplest isocyanide, 585
Isomeric species
UV–Vis observation of different $^7F_0 \rightarrow {}^5D_0$ transitions for both isomeric species in Eu(III) DOTA-like complexes, 719
Isonicotinato *N*-oxido
An unprecedented three-dimensional network cadmium coordination polymer containing isonicotinato *N*-oxido ligand with strong yellow fluorescent emission, 405
Isophthalate
A novel two-dimensional layer network composed of cadmium and bridging isophthalate ligand, 165
Isopolyoxotungstate
Synthesis of a novel voltammetrically active isopolyoxotungstate anion, $[H_6W_{18}O_{60}]^{6-}$, 5
Itaconatopentamminecobalt(III) ion
Novel photochemical reaction of itaconatopentamminecobalt(III) ion to produce a room temperature luminescent compound, 738
Keggin anions
Electrostatically controlled intercalation of Keggin anions into thermally evaporated fatty amine films, 568
Ketenes
Metal-substituted ketenes: first ^{13}C and ^{31}P CP/MAS NMR determinations, 145
Ladder
Unusual molecular ladder structure containing zinc(II) and natural T-shape ligand nitrilotriacetate, 79
Lanthanide(III)
Chiroptical Lanthanide(III) schiff base complexes derived from *p*-Nitrophenyl-hydrazine and D-Camphor--sulphonic acid, 248
Lanthanide
New polymeric structure of rhenium octahedral chalcocyanide complex: Ln^{3+}-derived network with one-dimensional channels, 423
Lanthanides
Lanthanide(III) complexes of a highly efficient actinide(III) extracting agent – 2,6-bis(5,6-dipropyl-1,2,4-triazin-3-yl)pyridine, 12
Unusual complexes formed by the early lanthanides with 2, 6-bis(5, 6-dialkyl-1, 2, 4-triazin-3-yl)-pyridines, 462
Hydrothermal synthesis of three new 3-D framework rare-earth mellitates, 467
Layered compound
An unprecedented mixed-valent-copper mutual-face-insertion layered metal-organic polymer displaying graphite-like properties, 678
Ligand transfer reactions
A quest for triple-decker complexes with a bridging phospholyl ligand. Syntheses of $[(\mu,\eta^5{:}\eta^5\text{-}C_4Me_4P)(FeCp^*)(RhCp^*)](BF_4)_2$ and $[(\mu,\eta^5{:}\eta^5\text{-}C_4Me_4P)(FeCp^*)(IrCp^*)](BF_4)_2$, and structures of $[Cp^*Fe\ (\mu,\eta^1{:}\eta^5\text{-}C_4Me_4P)Ir(NCMe)_2Cp^*](CF_3SO_3)_2(Me_2CO)$ and $(C_5Me_4CH_2C_6H_{11})Fe\ (\mu,\eta^1{:}\eta^5\text{-}C_4Me_4P)Rh(O_3SCF_3)_2Cp^*$, 100
Linked through $M(en)_2$(M = Ni, Cu) groups
One- and two-dimensional framework materials constructed from the mixed Mo/V tetra-capped Keggin structure clusters and $M(en)_2$ (M = Ni, Cu) complexes groups, 1
Lipid films
Electrostatically controlled intercalation of Keggin anions into thermally evaporated fatty amine films, 568
Luminescence
Time-resolved near-IR luminescence from ytterbium and neodymium complexes of the Lehn cryptand, 187
Electronic spectra of solid pentakis(dimethylamido)tantalum(V), 252
Novel photochemical reaction of itaconatopentamminecobalt(III) ion to produce a room temperature luminescent compound, 738
Macrocycle
Preparation and structural feature of a novel class of macrocycles containing (η^4-diene)$Fe(CO)_3$, 90
Macrocycles
Dirhodium(II) carboxylate complexes as building blocks. Synthesis of dimeric species as connectors for macrocycles, 16
Magnetic properties
Heteropolymetallic assemblies constructed from homometallic coordination polymers and paramagnetic metal-containing anions. Synthesis, crystal structure and magnetic properties of [Mn(4,4′-bipyridine-N,N′-dioxide) $(H_2O)_4$][Cr(bipy) $(C_2O_4)_2]_2{\cdot}8H_2O$, 111
Controlled assembly of a nickel(II) azido alternating chain from dinuclear building units, 305
Crystal structure and magnetic properties of a Cu_4O_4 cubane complex with N-(2-hydroxybenzyl)-propanolamine, 558
Magnetic property
Syntheses, structures and magnetic properties of 1-D coordination polymers containing both dicyanamide and 2-pyrrolidone, 72
A novel tetranuclear iron complex $[Fe_4O_2(O_2CC_2H_5)_7(bipy)_2]PF_6{\cdot}2H_2O$ (bipy = 2,2′-bipyridine): crystal structure and magnetic property, 138
Ferromagnetic coupling between an alkoxo-bridged dinickel(II) pair in a mixed-spin tetranuclear nickel(II) complex, 441
Synthesis and crystal structure of a one-dimensional coordination polymer of nickel(II) with 4′-(imidazol-1-ylmethyl)benzoate anion, 501
Magnetic quantum tunneling
A single-molecular magnet: $[Mn_{12}O_{12}(O_2CCH_2Br)_{16}(H_2O)_4]$, 511
Manganese
One-pot synthesis of manganese(I) and rhenium(I) alkylcarbonato complexes, *fac*-$(CO)_3$(dppp)MOC(O)OR. Possible trapping of intermediate diphosphine dimers, $[(CO)_3(dppp)M]_2$, 602
Phenanthroline–manganese inclusion complexes of dicarboxylic acid containing extensive hydrogen-bonding interactions, 730
Manganese carbonyl
A simple route to thiacrowns. Catalytic macrocyclization of thiirane by cationic manganese carbonyl complexes, 671
Manganese complexes
Heteropolymetallic assemblies constructed from homometallic coordination polymers and paramagnetic metal-containing anions. Synthesis, crystal structure and magnetic properties of [Mn(4,4′-bipyridine-N,N′-dioxide) $(H_2O)_4$][Cr(bipy) $(C_2O_4)_2]_2{\cdot}8H_2O$, 111
Photooxidation of *N*, *N*′-bis(3,5-di-*tert.*-butylsalicylidene)-1,2-diamino hexane-manganese(III) chloride (Jacobsen catalyst) in chloroform, 692
Manganese(II) complex
A trigonal prismatic Mn(II) complex, $[MnL(H_2O)]^{2+}$, with *bis*(picolinylidenehydrazyl)(2-pyridyl)methane (L). Synthesis, structure and properties, 656
Mass spectrometry
Preparation and structures of 1′-(diphenylphosphino)ferrocenecarboxaldehyde and {1′-(diphenylphosphino)ferrocenyl}methanol, 682
Materials
Purification of gaseous CO from $Fe(CO)_5$ traces formed in steel storage cylinders, 613
2-mercaptopyridine
Synthesis and crystal structure of $[Ru_2(\mu\text{-}pyS)_3(pyS)_2](CF_3SO_3)$: the first Ru(III) complex of 2-mercaptopyridine, 142
Mercaptotin complex
Novel hexamercaptotin: synthesis and characterization of $[N(CH_3)_4]_2Sn(SH)_6$ and $[N(C_2H_5)_4]_2Sn(SH)_6$ complexes, 643

Mercuric coordination polymer
A linear piperazine–pyridine ligand and its Hg coordination polymer, 358
Mesostructured tin oxide
Synthesis of supramolecular-templated mesostructured tin oxide, 223
Metal alkoxides
Perrhenate ligand as an analog of the methoxide group in alkoxide complexes. Synthesis and X-ray single crystal study of $Ta_2(OMe)_8(ReO_4)_2$, 534
Metal wire
2D structure with rectangular grids woven by coordination chains and pseudo-metal wires, 41
Metal wires
Rhodium wires based on binuclear acetate-bridged complexes, 19
Synthesis and structural characterization of new one-dimensional rhodium complexes, 726
Metallocene
Pronounced effects of counterions on intramolecular electron transfer in 1′,1‴-dinaphthylmethylbiferrocenium cation, 82
Metallodendrimers
Structural characterisation of *rac*-bis(2,2′-bipyridine)(2,5-dipyridylpyrazine)ruthenium(II) hexafluorophosphate; a key building block for metallodendrimers, 749
Metallomacrocyclic
A novel maze-type network assembled by copper(II) and 2, 2′-dicarboxydiphenylthioether: $[(Cu_4(C_5H_5N)_8\{S(C_6H_4CO_2)_2\}_4(H_2O)_2]\cdot 2H_2O)_n$, 315
Metal–metal bonds
The electrochemical synthesis and X-ray single crystal study of $Re_4O_6(O^iPr)_{10}$ – a new Rhenium(V, VI) cluster with an unprecedented arrangement of metal–metal bonds, 227
Methoxide
Perrhenate ligand as an analog of the methoxide group in alkoxide complexes. Synthesis and X-ray single crystal study of $Ta_2(OMe)_8(ReO_4)_2$, 534
Methyl yellow
Intercalation of organic dyes in the layered host lattice V_2O_5, 63
Methylaluminoxane
Syntheses of zirconium (IV) complexes with Schiff-base ligand and their catalytic activities for polymerization of ethylene, 392
Methylsulfanylacetato
Mononuclear chelating diselenito complexes of platinum(II) and the crystal structure of bis-triphenylphosphine(diselenito-*O*, *O*′)platinum(II)Preference for hard versus soft ligands of the *cis*-$Pt(PPh_3)_2$ moiety?, 606
Methylsulfanylbenzoato
Mononuclear chelating diselenito complexes of platinum(II) and the crystal structure of bis-triphenylphosphine(diselenito-*O*, *O*′)platinum(II)Preference for hard versus soft ligands of the *cis*-$Pt(PPh_3)_2$ moiety?, 606
Microporous compounds
Hydrothermal synthesis of three new 3-D framework rare-earth mellitates, 467
Microsolvation
The influence of water molecules on the complex formation between K^+ and 18-crown-6 and the cryptand (222) in chloroform, 211
Microstructure
A simple direct preparation of nanocrystalline γ-Mn_2O_3 at ambient temperature, 294
Mixed ligands
Hydrothermal synthesis of two new zinc coordination polymers with mixed ligands, 561
Mixed-valence 1′, 1‴ -dinaphthylmethylbiferrocenium
Pronounced effects of counterions on intramolecular electron transfer in 1′,1‴-dinaphthylmethylbiferrocenium cation, 82
Mixed-valence copper
An unprecedented mixed-valent-copper mutual-face-insertion layered metal-organic polymer displaying graphite-like properties, 678
Mixed-valence
Reaction of $[(CO)_4Mo(\mu\text{-}Cl)_3Mo(SnCl_3)(CO)_3]$ with PhC≡CPh. X-ray crystal structure of $[Mo_3(\mu_3\text{-}O)(\mu_3\text{-}Cl)(\mu_2\text{-}Cl)(\mu_2\text{-}OH)_2(O)(\eta^2\text{-}PhC{\equiv}CPh)_5]$, 183
Proton-induced switching and control of intramolecular electron transfer on a benzotriazole-bridged symmetric mixed-valence ruthenium complex, 230
γ-Mn_2O_3
A simple direct preparation of nanocrystalline γ-Mn_2O_3 at ambient temperature, 294
Mn complex
Synthesis and structure of a novel infinite triple helices coordination polymer $\{[Mn(bipy)(azpy)_2(NCS)_2]\cdot H_2O\}_n$(bipy = 4, 4′-bipyridine, azpy = 4, 4′-azobispyridine), 451
Model compound
Synthesis of a novel μ-acetate bridged dinuclear Cu(II) complex as model compound for the active site of tyrosinase: crystal structure, magnetic properties and catecholase activity, 753
Molecular devices
Proton-induced switching and control of intramolecular electron transfer on a benzotriazole-bridged symmetric mixed-valence ruthenium complex, 230
Deprotonation of a ruthenium (II) complex incorporating a bipyrazole ligand leading to optical and electrochemical switching, 475
Molecular structure
The synthesis and structure of nickel(II) and copper(II) complexes with N,N-dimethyl-N′-(2,4-dichlorophenoxy)acetyl hydrazine, 134
The hydrothermal synthesis and structure of a one-dimensional Fe(II)molybdophosphate, 699
Molybdenum
A molybdenum-centred model for nitrogenase catalysis, 60
Reaction of $[(CO)_4Mo(\mu\text{-}Cl)_3Mo(SnCl_3)(CO)_3]$ with PhCCPh. X-ray crystal structure of $[Mo_3(\mu_3\text{-}O)(\mu_3\text{-}Cl)(\mu_2\text{-}Cl)(\mu_2\text{-}OH)_2(O)(\eta^2\text{-}PhCCPh)_5]$, 183
Molybdenum-nitrosyl complexes
Photoinduced denitrosyl dinuclearizing reaction of dinitrosyl-molybdenum $[Mo(didentate\text{-}N,S)_2(NO)_2]$ complexes, 661
MRI contrast agents
UV–Vis observation of different $^7F_0 \rightarrow {}^5D_0$ transitions for both isomeric species in Eu(III) DOTA-like complexes, 719
Multiple metal–metal bonds
Unusual dirhenium complexes containing the bis[2-(diphenylphosphino)phenyl]ether ligand including a terephthalate-bridged tetrarhenium compound, 745
N ligands
Rhodium wires based on binuclear acetate-bridged complexes, 19
Synthesis and structural characterization of new one-dimensional rhodium complexes, 726
N, *N*, *N*′, *N*′-tetramethylethlenediamine
Carbon–oxygen bond formation at organopalladium centres, 648
N, *N*′-bis(3-aminopropyl)ethylenediamine
Synthesis and characterization of a polymeric copper (II) complex bridged with perchlorate ion: X-ray crystal structure of Cu(*N*, *N*′-bis(3-aminopropyl)ethylenediamine)$(ClO_4)_2\cdot H_2O$, 264
N,N-dimethylhydrazine derivatives
The synthesis and structure of nickel(II) and copper(II) complexes with N,N-dimethyl-N′-(2,4-dichlorophenoxy)acetyl hydrazine, 134

N-2-hydroxyalkylpyridine-2-carboxamidines
Formation of *N*-2-hydroxyalkylpyridine-2-carboxamidines in the coordination sphere of copper(II).The crystal structure of dibromo-bis(*N*-2-hydroxypropylpyridine-2-carboxamidine-N,N′) copper(II), 66
Nanocrystalline
A simple direct preparation of nanocrystalline γ-Mn_2O_3 at ambient temperature, 294
Nanofiber
Crystal engineering of an inclusion coordination polymer with cationic pocket-like structure and its property to form metal–organic nanofibers, 459
Nanoparticles
Preparation and characterization of CdS nanoparticles by ultrasonic irradiation, 208
Inorganic composite CdS/heteropolyanion nanoparticles with salt-like structures, 527
Nanorods
Synthesis of novel SbSI nanorods by a hydrothermal method, 339
Nano-sized cavity
A new defective derivative of a ring-shaped nanosize polyoxomolybdate: synthesis and structure of $Na_{28}[Mo^{VI}_{112}Mo^{V}_{28}O_{427}H_{14}(H_2O)_{56}] \cdot$ ca. $300H_2O$, 245
N-Benzoylthiocarbamic-*O*-alkylesters
Protonation, complexation and thermochemical behaviour of *N*-benzoylthiocarbamic-*O*-alkylester anions in solution, 398
Negative activation energy
The localization of hydrophilic sites within an osmium polypyridyl compound can produce a negative activation energy for emission decay, 30
Neodymium
Time-resolved near-IR luminescence from ytterbium and neodymium complexes of the Lehn cryptand, 187
Network structure
A three-dimensional framework of dimeric copper(II) acetate linked by coordinated sodium cations, 504
Ni(II) complexes
Ni(II) complexes with neutral and dianionic form of 2,6-diacetylpyridine bis(acylhydrazones). Crystal structure of bis[dioxo-2,6-pyridinediylbis(ethylidyne-1-hydrazinyl-2-ylidene)diacetic acid]nickel(II) perchlorate, 311
Nickel complex
Ferromagnetic coupling between an alkoxo-bridged dinickel(II) pair in a mixed-spin tetranuclear nickel(II) complex, 441
Nickel thiocyanate
'Chicken-coop' network assembled by hydrogen bonds with bridging nitrate ions. Crystal structure of bis(4,4′-bipyridinium) diaquatetraisothiocyanatonickellate(II) dinitrate, 76
Nickel(II) complex
The synthesis and structure of nickel(II) and copper(II) complexes with N,N-dimethyl-N′-(2,4-dichlorophenoxy)acetyl hydrazine, 134
Synthesis and crystal structure of a one-dimensional coordination polymer of nickel(II) with 4′-(imidazol-1-ylmethyl)benzoate anion, 501
Nickel(II) complexes
Protonation, complexation and thermochemical behaviour of *N*-benzoylthiocarbamic-*O*-alkylester anions in solution, 398
Nickel
Nickel(II) promoted P–N bond cleavage of $(Ph_2PNH)_2CS$. X-ray crystal structure of *trans*-$[Ni\{Ph_2PNHC(S)NH_2$– $P,S\}_2]Cl_2$, 198
Controlled assembly of a nickel(II) azido alternating chain from dinuclear building units, 305
Nickle(II)
Syntheses and structures of μ-[*N*,*N*′-bis(2-aminoethyl)-1,2-ethanediamine-*N*1,*N*1′,*N*2,*N*2′]-bis[*N*,*N*′-(bis(2-aminoethyl)-1,2-ethanediamine-*N*,*N*′,*N*″,*N*‴)]dinickel(II) perchlorate (**1**) and 4,4′-biphenyldisulfonate (**2**), 478
Nitrile complexes
Cis addition of dimethylamine to the coordinated nitriles of *cis*- and *trans*-$[PtCl_2(NCMe)_2]$. X-ray structure of the amidine complex *cis*-$[PtCl_2\{EN(H)\equiv C(NMe_2)Me\}_2] \cdot CH_2Cl_2$, 275
Nitrilotriacetate (NTA)
Unusual molecular ladder structure containing zinc(II) and natural T-shape ligand nitrilotriacetate, 79
Nitrogen
The synthesis and characterization of *N*-(diphenylthiophosphinyl)-*P*-phenyl-thiophosphonamidic acid phenyl ester and related compounds chiral at phosphorus, 36
Nitrogen fixation
A molybdenum-centred model for nitrogenase catalysis, 60
Nitrogen heterocycles
Rhodium wires based on binuclear acetate-bridged complexes, 19
Synthesis and structural characterization of new one-dimensional rhodium complexes, 726
Nitrogenase
A molybdenum-centred model for nitrogenase catalysis, 60
Nitronyl nitroxide radical
Structure and magnetic properties of ferrimagnetic chain formed by manganese(II) and nitronyl nitroxides, 322
Nitroso complex
Synthesis and crystal structure of *trans*-nitrosoaquatetraammineruthenium(II) sulphate hydrosulphate, $[Ru(NO)(NH_3)_4(H_2O)](SO_4)(HSO_4)$, 33
Nitrosyl chromium complex
DFT calculation and X-ray structure of nitrosyl pentaammine chromium complex, 413
N-ligand
Structure of [2,6-bis(dimethylamino)methyl]phenyltin tribromide hydrate, 257
N-ligands
Controlled assembly of a nickel(II) azido alternating chain from dinuclear building units, 305
NMR
Synthesis of cyano(ergothionine)gold(I) complex and its disproportionation in solution, 362
NMR-spectroscopy
Structure of [2,6-bis(dimethylamino)methyl]phenyltin tribromide hydrate, 257
A rearrangement of the 10-boron *nido*/*arachno* decaboranyl cluster, 544
Non-radiative decay
The localization of hydrophilic sites within an osmium polypyridyl compound can produce a negative activation energy for emission decay, 30
Norfloxacin
Synthesis, crystal structure, and characterization of mixed-ligand complex of copper(I) with drug of norfloxacin and triphenyl phosphine: $[Cu(PPh_3)_2(H\text{-}Norf)]ClO_4$, 346
Nuclear reprocessing
Lanthanide(III) complexes of a highly efficient actinide(III) extracting agent – 2,6-bis(5,6-dipropyl-1,2,4-triazin-3-yl)pyridine, 12
Unusual complexes formed by the early lanthanides with 2, 6-bis(5, 6-dialkyl-1, 2, 4-triazin-3-yl)-pyridines, 462
Nucleic acids
The first substituted boranonucleic acids: a novel synthetic route, 629
Nucleophilic reaction
Formation of *N*-2-hydroxyalkylpyridine-2-carboxamidines in the coordination sphere of copper(II). The crystal structure of dibromo-bis(*N*-2-hydroxypropylpyridine-2-carboxamidine-N,N′) copper(II), 66

Octahedral and square-planar complexes
Ni(II) complexes with neutral and dianionic form of 2,6-diacetylpyridine bis(acylhydrazones). Crystal structure of bis[dioxo-2,6-pyridinediylbis(ethylidyne-1-hydrazinyl-2-ylidene)diacetic acid]nickel(II) perchlorate, 311
Octahedral cluster
New polymeric structure of rhenium octahedral chalcocyanide complex: Ln^{3+}-derived network with one-dimensional channels, 423
Octahedral molecular sieves
Preparation of layer structure birnessite by air oxidation: synthetic factors and framework dopant effects, 493
Octahedral nickel(II) complex
Synthesis and characterization of a novel tetranuclear nickel(II) complex: $[Ni_4(\mu\text{-}OH)_2(\mu\text{-dppn})_4(\mu\text{-}H_2O)_2](Cl)(ClO_4)_5{\cdot}9H_2O$ (dppn = 3,6-bis(2-pyridyl)pyridazine), 377
One- and two-dimensional frameworks
One- and two-dimensional framework materials constructed from the mixed Mo/V tetra-capped Keggin structure clusters and $M(en)_2$ (M = Ni, Cu) complexes groups, 1
One-dimensional chain
Structure and magnetic properties of ferrimagnetic chain formed by manganese(II) and nitronyl nitroxides, 322
A novel one-dimensional, ferromagnetic copper(II) complex with chloro-bridges and hydrogen-bonds: $[(PDA)_2Cu_2(Cl)_2][CuPz_2(H_2O)_4]$ (H_2PDA = pyridine-2,6-dicarboxylic acid, Pz = pyrazole), 327
One-dimensional coordination polymer
A novel 1D Cd^{II} coordination polymer with 4-sulfobenzoate and 2,2′-bipyridine containing an approximate rectangular molecular box unit with blue fluorescent emission, 384
One-dimensional structure
The hydrothermal synthesis and structure of a one-dimensional Fe(II)molybdophosphate, 699
Open framework
Highly stable open frameworks of Ln–Cu (Ln = La, Ce) 3D coordination polymers containing spacious hexagon channels and unusual μ_2-H_2O bridges, 301
Optical resolution
Planar chiral derivatives of 1,1′-diphosphaferrocene with potential application in nonlinear optics, 205
Organic synthesis
Coordination chemistry of CNH, the simplest isocyanide, 585
Organolanthanides
Synthesis, characterization and catalytic activity of some organolanthanides in ethylene polymerization, 582
Organopalladium(IV)
Carbon–oxygen bond formation at organopalladium centres, 648
Organotin(IV)
Structure of [2,6-bis(dimethylamino)methyl]phenyltin tribromide hydrate, 257
Synthesis and characterization of the first poly(imidazolyl)borate organotin(IV) complex exhibiting a polymeric chain structure, 708
Osmium
The localization of hydrophilic sites within an osmium polypyridyl compound can produce a negative activation energy for emission decay, 30
Oxalato bridge
One-dimensional oxalato-bridged copper(II) complex possessing two structurally different metallic centres, 350
A novel one-dimensional oxalato-bridged copper(II) complex with 2,2′-bipyridine, 640
Oxamidate complex
Assemblies based on *trans*-oxamidato-bridged copper(II) building blocks and the spacer succinate, 695
Oxidation reaction
An unprecedented mixed-valent-copper mutual-face-insertion layered metal-organic polymer displaying graphite-like properties, 678
Oxidation
Preparation of bis(hydrazine) complexes of iron(II), 402
Oxidative addition
Interaction of Rh(I) with a new polydentate O_4,N-donor pyrazolone able to form mononuclear, dinuclear and heterobimetallic compounds, 290
Oxidative arylation
Synthesis and X-ray crystal structure of $Rh(ppy)_2(OAc)$ (ppyH = 2-phenylpyridine): a rhodium(III) complex as a catalyst for oxidative arylation of ethylene with benzene, 365
Oxygenation reaction
Oxygenation of amyloid beta-peptide (1–40) by copper(II) complex and hydrogen peroxide system, 86
Palladium complexes
First complex containing a $Pd_2(\mu_2\text{-}N{=}CPh_2)_2$ functional group, 23
Palladium
Synthesis and X-ray structure of the homobinuclear 2,2′-biimidazole-bridged palladium(II) complex $[\{Pd(dppp)\}_2(\mu\text{-biim})](OTf)_2$, 381
A palladium complex containing a new C_2-symmetric bidentate non-racemic oxalamidine ligand: synthesis and catalytic properties, 471
Carbon–oxygen bond formation at organopalladium centres, 648
Paraformaldehyde
First examples of methylene insertion into the phosphorus(III)–nitrogen bond, 437
Pendant amine group
Synthesis of {1,3-bis(η^5-tetramethylcyclopentadienyl)-1,1,3,3-tetramethyldisiloxane}dichlorotitanium(IV) via hydrolysis of bis{η^5-(*N*,*N*-dimethylaminodimethylsilyl)tetramethylcyclopentadienyl}dichlorotitanium(IV), 520
Pentadentate ligand
A trigonal prismatic Mn(II) complex, $[MnL(H_2O)]^{2+}$, with *bis*(picolinylidenehydrazyl)(2-pyridyl)methane (L). Synthesis, structure and properties, 656
Peroxide
Carbon–oxygen bond formation at organopalladium centres, 648
$Ph_3PC{=}C{=}O$
Metal-substituted ketenes: first 13*C* and 31*P* CP/MAS NMR determinations, 145
Phenanthroline
Coordination complexes of β-thioether appended tetraazaporphyrin, 219
Synthesis and structural characterization of an alternating double aquo-bridged and single cyano-bridged polymeric barium–iron complex: $\{[Ba_2(phen)_4(H_2O)_6Fe(CN)_6]\cdot Cl\cdot 2(phen)\cdot 3H_2O\}_n$, 712
Phenanthroline–manganese inclusion complexes of dicarboxylic acid containing extensive hydrogen-bonding interactions, 730
Phenolate ligands
Bisdiolatotungsten(VI) phenoxide-based catalytic systems for ring opening metathesis polymerization, 108
Titanium(IV) complexes of trianionic amine triphenolate ligands, 177
Phosphacyclopentadienyl
A quest for triple-decker complexes with a bridging phospholyl ligand. Syntheses of $[(\mu,\eta^5{:}\eta^5\text{-}C_4Me_4P)(FeCp^*)(RhCp^*)](BF_4)_2$ and $[(\mu,\eta^5{:}\eta^5\text{-}C_4Me_4P)(FeCp^*)(IrCp^*)](BF_4)_2$, and structures of $[Cp^*Fe\ (\mu,\eta^1{:}\eta^5\text{-}C_4Me_4P)Ir(NCMe)_2Cp^*](CF_3SO_3)_2(Me_2CO)$ and $(C_5Me_4CH_2C_6H_{11})Fe\ (\mu,\eta^1{:}\eta^5\text{-}C_4Me_4P)Rh(O_3SCF_3)_2Cp^*$, 100

Phosphate
The hydrothermal synthesis and structure of a one-dimensional Fe(II)molybdophosphate, 699
Phosphine
Nickel(II) promoted P–N bond cleavage of $(Ph_2PNH)_2CS$. X-ray crystal structure of *trans*-$[Ni\{Ph_2PNHC(S)NH_2$– P,S$\}_2]Cl_2$, 198
Phosphine chalcogenides
New ferrocene-derived hydroxymethylphosphines: $FcP(CH_2OH)_2$ [Fc = (η^5-C_5H_5)Fe(η^5-C_5H_4)] and the dppf analogue 1,1′-Fc′$[P(CH_2OH)_2]_2$ [Fc′ = Fe(η^5-C_5H_4)$_2$], 741
Phosphine oxide
First examples of methylene insertion into the phosphorus(III)–nitrogen bond, 437
Phosphinoamine
First examples of methylene insertion into the phosphorus(III)–nitrogen bond, 437
Phospholyl
A quest for triple-decker complexes with a bridging phospholyl ligand. Syntheses of [(μ,η^5:η^5-C_4Me_4P)(FeCp*)(RhCp*)]$(BF_4)_2$ and [(μ,η^5:η^5-C_4Me_4P)(FeCp*)(IrCp*)]$(BF_4)_2$, and structures of [Cp*Fe (μ,η^1:η^5-C_4Me_4P)Ir(NCMe)$_2$Cp*]$(CF_3SO_3)_2(Me_2CO)$ and $(C_5Me_4CH_2C_6H_{11})$Fe (μ,η^1:η^5-C_4Me_4P)Rh$(O_3SCF_3)_2$Cp*, 100
Phosphorus
The synthesis and characterization of *N*-(diphenylthiophosphinyl)-*P*-phenyl-thiophosphonamidic acid phenyl ester and related compounds chiral at phosphorus, 36
Phosphorus compounds
Hydrothermal synthesis and characterization of an ammoniumtitanium(IV) phosphate with pyrochlore-type structure, 555
Photocatalysis
Intramolecular charge transfer excitation of *meso*-tetrakis (1-pyrenyl) porphyrinato gold(III) acetate. Photosensitized oxidation of guanine, 160
Photochemistry
Photoreduction of aqueous ferrioxamine B by oxalate induced by outer-sphere charge transfer excitation, 215
Photoreactivity of hexakis[μ-(acetato-O:O′)]-μ_3-oxotriruthenium(III) cation. Photoreduction by oxalate, 689
Photooxidation of *N*,*N*′-bis(3,5-di-*tert.*-butylsalicylidene)-1,2-diamino hexane-manganese(III) chloride (Jacobsen catalyst) in chloroform, 692
Novel photochemical reaction of itaconatopentamminecobalt(III) ion to produce a room temperature luminescent compound, 738
Photo-denitrosyl reaction
Photoinduced denitrosyl dinuclearizing reaction of dinitrosyl-molybdenum [Mo(didentate-N,S)$_2$(NO)$_2$] complexes, 661
Photoluminescence
Photoluminescence characteristics of ZnS nanocrystallites co-doped with Co^{2+} and Cu^{2+}, 734
Photoluminescent
Synthesis and crystal structure of the first Cu(I)-benzotrizolate complex $[Cu_4(bta)_3(PPh_3)_4][Cu(PPh_3)_3](BF_4)_2$: a unique tetrametallic fragment like a reverse-umbrella, 483
Photolysis
The photolysis of bis(benzene)chromium(I) in chloroform, 157
Photonuclease activity
Intramolecular charge transfer excitation of *meso*-tetrakis (1-pyrenyl) porphyrinato gold(III) acetate. Photosensitized oxidation of guanine, 160
Photoredox reaction
Novel photochemical reaction of itaconatopentamminecobalt(III) ion to produce a room temperature luminescent compound, 738
pH Potentiometry
Protonation, complexation and thermochemical behaviour of *N*-benzoylthiocarbamic-*O*-alkylester anions in solution, 398
Phthalimidoethyl
Substituent effect on the carborane coupling reaction: synthesis and crystal structure of 1-phenyl-2-[2,3-benzobicyclo(3,3,0)-1-oxo-4-oxa-7-aza-8-yl]-1,2-dicarba-closo-dodecaborane(12), 180
Synthesis and crystal structure of 1,2-bis(phthalimidomethyl)-1,2-dicarba-*closo*-dodecaborane(12): a precursor to polyamines, 447
Piperazine–bipyridine ligand
A linear piperazine–pyridine ligand and its Hg coordination polymer, 358
Planar chirality
Planar chiral derivatives of 1,1′-diphosphaferrocene with potential application in nonlinear optics, 205
Platinum complexes
First examples of M–Se–P–N–N heterocycles 115
Cis addition of dimethylamine to the coordinated nitriles of *cis*- and *trans*-$[PtCl_2(NCMe)_2]$. X-ray structure of the amidine complex *cis*-$[PtCl_2\{EN(H)=C(NMe_2)Me\}_2] \cdot CH_2Cl_2$, 275
Catalytic activity of dicationic platinum(II) and rhodium(II) complexes towards 9-diazofluorene, 281
Platinum phosphine complexes
Mononuclear chelating diselenito complexes of platinum(II) and the crystal structure of bis-triphenylphosphine(diselenito-*O*,*O*′)platinum(II)Preference for hard versus soft ligands of the *cis*-$Pt(PPh_3)_2$ moiety?, 606
Platinum(II)
Structure of a tetranuclear heterometallic Ag(I)–Pt(II) complex with a triazolopyrimidine derivative, 254
P–N bond
Nickel(II) promoted P–N bond cleavage of $(Ph_2PNH)_2CS$. X-ray crystal structure of *trans*-$[Ni\{Ph_2PNHC(S)NH_2$– P,S$\}_2]Cl_2$, 198
p-nitrophenylhydrazine
Chiroptical Lanthanide(III) schiff base complexes derived from *p*-Nitrophenyl-hydrazine and D-Camphor--sulphonic acid, 248
Polyamine
Assembly of tris(2-aminoethyl)amines and its unusual conversion by silver(I) ions, 241
Synthesis and crystal structure of 1,2-bis(phthalimidomethyl)-1,2-dicarba-*closo*-dodecaborane(12): a precursor to polyamines, 447
Polymeric complex
A new cyanato-bridged polymeric complex $[Cd_3(NCO)_6(NH_2CH_2C_5H_4N)_3]_n$ with a zig–zag ladder shaped structure, 419
Polymeric structure
New polymeric structure of rhenium octahedral chalcocyanide complex: Ln^{3+}-derived network with one-dimensional channels, 423
Polymerization
Synthesis, characterization and catalytic activity of some organolanthanides in ethylene polymerization, 582
Polymerization of ethylene
Syntheses of zirconium (IV) complexes with Schiff-base ligand and their catalytic activities for polymerization of ethylene, 392
Polynuclear complex
One-dimensional oxalato-bridged copper(II) complex possessing two structurally different metallic centres, 350
A novel one-dimensional oxalato-bridged copper(II) complex with 2,2′-bipyridine, 640
Polyoxometalate
Synthesis, characterization and in vitro antitumor activity of diorganometallo complexes γ-Keggin anions, 372
Hydrothermal synthesis and structure of a bi-capped Keggin polyoxoanion, $[As_2^{III}As^{V}Mo_8V_4^{IV}O_{40}]^{5-}$, 632
Polyoxomolybdates
Synthesis and structure of a high-nuclearity oxomolybdenum(V) complex, $[Mo_{12}O_{28}(OC_2H_5)_4(C_6H_7N)_8]$, 537

Polyphenylacetylene
Synthesis, molecular structure and catalytic activity of the bis(phenylacetylene) complex $[WI_2(CO)(NCMe)(\eta^2\text{-}HC_2Ph)_2]$, 124
Polypyridine
The localization of hydrophilic sites within an osmium polypyridyl compound can produce a negative activation energy for emission decay, 30
Porous materials
Preparation of layer structure birnessite by air oxidation: synthetic factors and framework dopant effects, 493
Porphyrins
Intramolecular charge transfer excitation of *meso*-tetrakis (1-pyrenyl) porphyrinato gold(III) acetate. Photosensitized oxidation of guanine, 160
Potentiometry
Silver complexes with large crown ethers in propylene carbonate, 9
Propanoic acid
A novel tetranuclear iron complex $[Fe_4O_2(O_2CC_2H_5)_7(bipy)_2]PF_6{\cdot}2H_2O$ (bipy = 2,2′-bipyridine): crystal structure and magnetic property, 138
Propylcarbonato complexes
One-pot synthesis of manganese(I) and rhenium(I) alkylcarbonato complexes, *fac*-$(CO)_3$(dppp)MOC(O)OR. Possible trapping of intermediate diphosphine dimers, $[(CO)_3(dppp)M]_2$, 602
Protonation
Coordination chemistry of CNH, the simplest isocyanide, 585
Protonation reaction
A novel protonated boranoamino acid amide derivative, $(CH_3)_3N \cdot BH_2C(OH){=}N^+HC_2H_5Cl^-$: A synthetic and structural investigation, 336
Proton-coupled electron transfer
Proton-induced switching and control of intramolecular electron transfer on a benzotriazole-bridged symmetric mixed-valence ruthenium complex, 230
Prussian Blue derivative complexes
XANES and EXAFS investigations of bonding and structure of Ni and Co derivatives from Prussian Blue coordination compounds, 153
Pt
Metal-substituted ketenes: first ^{13}C and ^{31}P CP/MAS NMR determinations, 145
PTA ligands
Five co-ordination at platinum(II) in a water soluble tertiary phosphine complex: crystal structure of $[Pt(PTA)_3(I)_2]{\cdot}CH_3OH$, 49
Purification
Purification of gaseous CO from $Fe(CO)_5$ traces formed in steel storage cylinders, 613
Push–pull molecules NLO
Planar chiral derivatives of 1,1′-diphosphaferrocene with potential application in nonlinear optics, 205
Pyrazinamide
Synthesis, characterization and catalytic activity of some organolanthanides in ethylene polymerization, 582
Pyrazolate ligands
Reactivity of $[Ru_3(\mu\text{-}H)(\mu\text{-}Me_2pz)(CO)_{10}]$ with 2,4-hexadiyne. Characterization of the first tetranuclear ynenyl complex, 57
Pyrazole complexes
Unexpected chlorination of a pyrazole ligand. Structural characterisation of a new binuclear Cu(II) complex, 610
Pyrene
Intramolecular charge transfer excitation of *meso*-tetrakis (1-pyrenyl) porphyrinato gold(III) acetate. Photosensitized oxidation of guanine, 160
2-(2-pyridyl)-4-(methylcarboxy)quinoline
Cis-dichloro-bis-2-(2-pyridyl)-4-(methylcarboxy)quinoline ruthenium (II): a novel ruthenium (II) tris-chelated building precursor, 237
3,5-pyridinedicarboxylic acid
A three-dimensional cobalt(II)-coordination polymer based on 3,5-pyridinedicarboxylate, 297
Pyridine
A novel maze-type network assembled by copper(II) and 2,2′-dicarboxydiphenylthioether: $[(Cu_4(C_5H_5N)_8\{S(C_6H_4CO_2)_2\}_4(H_2O)_2] \cdot 2H_2O)_n$, 315
Pyridine complexes
Synthesis and structure of a high-nuclearity oxomolybdenum(V) complex, $[Mo_{12}O_{28}(OC_2H_5)_4(C_6H_7N)_8]$, 537
Pyridine-2-carbonitrile
Formation of *N*-2-hydroxyalkylpyridine-2-carboxamidines in the coordination sphere of copper(II). The crystal structure of dibromo-bis(*N*-2-hydroxypropylpyridine-2-carboxamidine-N,N′) copper(II), 66
Pyrochlore structure
Hydrothermal synthesis and characterization of an ammoniumtitanium(IV) phosphate with pyrochlore-type structure, 555
q values
Time-resolved near-IR luminescence from ytterbium and neodymium complexes of the Lehn cryptand, 187
Quantum calculations
A molybdenum-centred model for nitrogenase catalysis, 60
Random occupied anions
A novel complex of sandwich layers having disordered symbiotic distribution of azido group and water molecules, 416
Redox propertie
Synthesis and crystal structure of $[Ru_2(\mu\text{-}pyS)_3(pyS)_2](CF_3SO_3)$: the first Ru(III) complex of 2-mercaptopyridine, 142
Restacking
Intercalation of organic dyes in the layered host lattice V_2O_5, 63
Rhenium alkoxide
The electrochemical synthesis and X-ray single crystal study of $Re_4O_6(O^iPr)_{10}$ – a new Rhenium(V, VI) cluster with an unprecedented arrangement of metal–metal bonds, 227
Rhenium complexes
Re(V) thiosalicylate complexes. Crystal structure of $(Ph_4As)[ReO(SC_6H_4CO_2)_2py] \cdot H_2O$, 261
Perrhenate ligand as an analog of the methoxide group in alkoxide complexes. Synthesis and X-ray single crystal study of $Ta_2(OMe)_8(ReO_4)_2$, 534
Rhenium
Carboxylate versus imidobenzoate bonding for anthranilic acid derivatives. Crystal structures of $[W(\eta\text{-}C_5Me_5)Cl_3(\eta^2\text{-}O_2CC_6H_4NH_2\text{-}2)]$ and $[ReCl(OEt)(PPh_3)_2(NC_6H_4CO_2)]$, 95
New polymeric structure of rhenium octahedral chalcocyanide complex: Ln^{3+}-derived network with one-dimensional channels, 423
One-pot synthesis of manganese(I) and rhenium(I) alkylcarbonato complexes, *fac*-$(CO)_3$(dppp)MOC(O)OR. Possible trapping of intermediate diphosphine dimers, $[(CO)_3(dppp)M]_2$, 602
Rhodium
Rhodium wires based on binuclear acetate-bridged complexes, 19
Synthesis and structural characterization of new one-dimensional rhodium complexes, 726
Rhodium complex
Synthesis and X-ray crystal structure of $Rh(ppy)_2(OAc)$ (ppyH = 2-phenylpyridine): a rhodium(III) complex as a catalyst for oxidative arylation of ethylene with benzene, 365
Rhodium complexes
Catalytic activity of dicationic platinum(II) and rhodium(II) complexes towards 9-diazofluorene, 281

Interaction of Rh(I) with a new polydentate O_4,N-donor pyrazolone able to form mononuclear, dinuclear and heterobimetallic compounds, 290
Ru complexes
Synthesis and crystal structure of $[Ru_2(\mu\text{-}pyS)_3(pyS)_2](CF_3SO_3)$: the first Ru(III) complex of 2-mercaptopyridine, 142
Ruthenium
Electrospray mass spectrometry of $[Ru_4(\eta^6\text{-}C_6H_6)_4(OH)_4]^{4+}$: first direct evidence for the persistence of the cubane unit in solution and its role as a precatalyst in the hydrogenation of benzene, 571
Unusual reactions of ruthenium–polycyanocarbon complexes: formation of an η^2-CNR ligand and cleavage of $C(sp^2)$–CN bonds, 617
Ruthenium (II) complex
Cis-dichloro-bis-2-(2-pyridyl)-4-(methylcarboxy)quinoline ruthenium (II): a novel ruthenium (II) tris-chelated building precursor, 237
Ruthenium clusters
Reactivity of $[Ru_3(\mu\text{-}H)(\mu\text{-}Me_2pz)(CO)_{10}]$ with 2,4-hexadiyne. Characterization of the first tetranuclear ynenyl complex, 57
Ruthenium complex
Deprotonation of a ruthenium (II) complex incorporating a bipyrazole ligand leading to optical and electrochemical switching, 475
Structural characterisation of *rac*-bis(2,2′-bipyridine)(2,5-dipyridylpyrazine)ruthenium(II) hexafluorophosphate; a key building block for metallodendrimers, 749
Ruthenium complexes
Stereoisomerically controlled supramolecular architectures: a new strategy for the construction of enantio- and diastereomerically pure multinuclear Ru^{II} complexes, 45
Re(V) thiosalicylate complexes. Crystal structure of $(Ph_4As)[ReO(SC_6H_4CO_2)_2py] \cdot H_2O$, 261
Photoreactivity of hexakis[μ-(acetato-O:O′)]-μ_3-oxotriruthenium(III) cation. Photoreduction by oxalate, 689
Ruthenium(II)
Synthesis and crystal structure of *trans*-nitrosoaquatetraammineruthenium(II) sulphate hydrosulphate, $[Ru(NO)(NH_3)_4(H_2O)](SO_4)(HSO_4)$, 33
Coordination complexes of β-thioether appended tetraazaporphyrin, 219
Ruthenium(II) complex
A novel complex of sandwich layers having disordered symbiotic distribution of azido group and water molecules, 416
Ruthenium-edta
Proton-induced switching and control of intramolecular electron transfer on a benzotriazole-bridged symmetric mixed-valence ruthenium complex, 230
Saccharin
Diaquabis(4, 4′-bipyridine)copper(II) di(*o*-sulfobenzimidate) dichloromethane solvate, a two-dimensional $Cu_4(4,4'C_5H_4NC_5H_4N)_4$ rhombic grid clathrating guest dichloromethane, 766
Salen complexes
Photooxidation of *N*, *N*′-bis(3,5-di-*tert*.-butylsalicylidene)-1,2-diamino hexane-manganese(III) chloride (Jacobsen catalyst) in chloroform, 692
Salicylate
Mononuclear copper (II) salicylate imidazole complexes derived from copper (II) aspirinate. Crystallographic determination of three copper geometries in a unit cell, 119
Sandwich complexes
A quest for triple-decker complexes with a bridging phospholyl ligand. Syntheses of $[(\mu,\eta^5\text{:}\eta^5\text{-}C_4Me_4P)(FeCp^*)(RhCp^*)](BF_4)_2$ and $[(\mu,\eta^5\text{:}\eta^5\text{-}C_4Me_4P)(FeCp^*)(IrCp^*)](BF_4)_2$, and structures of $[Cp^*Fe\ (\mu,\eta^1\text{:}\eta^5\text{-}C_4Me_4P)Ir(NCMe)_2Cp^*](CF_3SO_3)_2(Me_2CO)$ and $(C_5Me_4CH_2C_6H_{11})Fe\ (\mu,\eta^1\text{:}\eta^5\text{-}C_4Me_4P)Rh(O_3SCF_3)_2Cp^*$, 100
Sandwich-type layer structure
A novel complex of sandwich layers having disordered symbiotic distribution of azido group and water molecules, 416
SbSI
Synthesis of novel SbSI nanorods by a hydrothermal method, 339
Schiff base
Chiroptical Lanthanide(III) schiff base complexes derived from *p*-Nitrophenyl-hydrazine and D-Camphor-β-sulphonic acid, 248
Syntheses of zirconium (IV) complexes with Schiff-base ligand and their catalytic activities for polymerization of ethylene, 392
Chiral lanthanide(III) complexes of sulphur–nitrogen–oxygen ligand derived from aminothiourea and sodium D-camphor-β-sulfonate, 409
Ferromagnetic coupling between an alkoxo-bridged dinickel(II) pair in a mixed-spin tetranuclear nickel(II) complex, 441
Second harmonic generation
Synthesis and characterization of $Ba_2Be_2B_2O_7$, 565
Selenium
First examples of M–Se–P–N–N heterocycles, 115
Self-assembly
Self-assembly of a new "4,4′-bipyridyl-based" building block with Cd(II) and Co(II) cations: synthesis and crystal structures of 1- and 2-D coordination polymers, 168
Semiconductivity
Preparation, characterization and electrical conductivity of heterometallic complexes derived from 2-sulfanylbenzothiazolate, 454
Siderophores
Photoreduction of aqueous ferrioxamine B by oxalate induced by outer-sphere charge transfer excitation, 215
Sila-β-diketone
The first metal complex containing a silylated β-diketonate ligand: bis(2,2,6,6-tetramethyl-2-sila-3,5-heptanedionato) copper(II), 496
Siloxane bridge
Synthesis of {1,3-bis(η^5-tetramethylcyclopentadienyl)-1,1,3,3-tetramethyldisiloxane}dichlorotitanium(IV) via hydrolysis of bis{η^5-(*N*,*N*-dimethylaminodimethylsilyl)tetramethylcyclopentadienyl}dichlorotitanium(IV), 520
Silver cyclic dimer
Assembly of a novel cyclic dimer encapsulating PF_6^- into the brick wall network, 674
Silver(I)
Assembly of tris(2-aminoethyl)amines and its unusual conversion by silver(I) ions, 241
Structure of a tetranuclear heterometallic Ag(I)–Pt(II) complex with a triazolopyrimidine derivative, 254
Silver(I) complexes
Silver complexes with large crown ethers in propylene carbonate, 9
Silver(I) helicates with 2-(arylazo)pyrimidines. Single crystal X-ray structure of {2-(phenylazo)pyrimidine}silver(I) nitrate, 269
Single-molecule magnet
A single-molecular magnet: $[Mn_{12}O_{12}(O_2CCH_2Br)_{16}(H_2O)_4]$, 511
Sn–SH bond energy
Novel hexamercaptotin: synthesis and characterization of $[N(CH_3)_4]_2Sn(SH)_6$ and $[N(C_2H_5)_4]_2Sn(SH)_6$ complexes, 643
Sodium D-camphor-β-sulfonate
Chiral lanthanide(III) complexes of sulphur–nitrogen–oxygen ligand derived from aminothiourea and sodium D-camphor-β-sulfonate, 409
Solution dynamics
Perrhenate ligand as an analog of the methoxide group in alkoxide complexes. Synthesis and X-ray single crystal study of $Ta_2(OMe)_8(ReO_4)_2$, 534

Solution equilibrium
UV–Vis observation of different $^7F_0 \rightarrow {}^5D_0$ transitions for both isomeric species in Eu(III) DOTA-like complexes, 719
Solvation
The localization of hydrophilic sites within an osmium polypyridyl compound can produce a negative activation energy for emission decay, 30
Solvent-initiated
The photolysis of bis(benzene)chromium(I) in chloroform, 157
Solvothermal synthesis
Synthesis, crystal structure, and characterization of mixed-ligand complex of copper(I) with drug of norfloxacin and triphenyl phosphine: $[Cu(PPh_3)_2(H\text{-}Norf)]ClO_4$, 346
Sonochemical reduction
Preparation and characterization of CdS nanoparticles by ultrasonic irradiation, 208
Spacers
Diaquabis(4,4′-bipyridine)copper(II) di(*o*-sulfobenzimidate) dichloromethane solvate, a two-dimensional $Cu_4(4,4'C_5H_4NC_5H_4N)_4$ rhombic grid clathrating guest dichloromethane, 766
Spin multiplicity
DFT calculation and X-ray structure of nitrosyl pentaammine chromium complex, 413
Spontaneous resolution
Synthesis, structure and spontaneous resolution of $[Pd_2Cl_2(DpyF)_2]$ ($DpyF^-$ = anion of bis(2-pyridyl)formamidine); a new chelating/bridging bonding mode of $DpyF^-$ ligand, 201
Square pyramidal
A new 3-D neutral framework coordination polymer constructed via square pyramidal binuclear Cu(II) and nicotinato ligand, 716
Stability
Novel hexamercaptotin: synthesis and characterization of $[N(CH_3)_4]_2Sn(SH)_6$ and $[N(C_2H_5)_4]_2Sn(SH)_6$ complexes, 643
Stability constants
Five co-ordination at platinum(II) in a water soluble tertiary phosphine complex: crystal structure of $[Pt(PTA)_3(I)_2]\cdot CH_3OH$, 49
$\pi-\pi$ stacking interactions
A blue luminescent di-2-pyridylamine cadmium complex with an unexpected arrangement of thiocyanate ligands: a supramolecular layered structure based on hydrogen bonds and π–π stacking interactions, 577
Stacking interactions
Rhodium wires based on binuclear acetate-bridged complexes, 19
An interesting network of an asymmetric binuclear molybdenum complex formed via O—H···O and C—H···O_{CO} hydrogen bonds and stacking interactions, 285
Synthesis and structural characterization of new one-dimensional rhodium complexes, 726
Step-like hysteresis loop
A single-molecular magnet: $[Mn_{12}O_{12}(O_2CCH_2Br)_{16}(H_2O)_4]$, 511
Structure
Syntheses, structures and magnetic properties of 1-D coordination polymers containing both dicyanamide and 2-pyrrolidone, 72
Substitution
Substituent effect on the carborane coupling reaction: synthesis and crystal structure of 1-phenyl-2-[2,3-benzobicyclo(3,3,0)-1-oxo-4-oxa-7-aza-8-yl]-1,2-dicarba-closo-dodecaborane(12), 180
Substituted indenyl
Syntheses and X-ray structures of half-sandwich *o*-methoxylbenzylindenyl zirconium complexes with coordinated THF, 515
Succinate
Assemblies based on *trans*-oxamidato-bridged copper(II) building blocks and the spacer succinate, 695
4-Sulfobenzoate
A novel 1D Cd*II* coordination polymer with 4-sulfobenzoate and 2,2′-bipyridine containing an approximate rectangular molecular box unit with blue fluorescent emission, 384
Sulfur
The synthesis and characterization of *N*-(diphenylthiophosphinyl)-*P*-phenyl-thiophosphonamidic acid phenyl ester and related compounds chiral at phosphorus, 36
Sulphate
Synthesis and crystal structure of *trans*-nitrosoaquatetraammineruthenium(II) sulphate hydrosulphate, $[Ru(NO)(NH_3)_4(H_2O)](SO_4)(HSO_4)$, 33
Supramolecular architectures
Stereoisomerically controlled supramolecular architectures: a new strategy for the construction of enantio- and diastereomerically pure multinuclear Ru^{II} complexes, 45
Supramolecular chemistry
A molecular propeller with three quadruply-bonded blades, 130
Supramolecule
Electrical transport properties of a supramolecular assembly, 507
Supramolecular template
Synthesis of supramolecular-templated mesostructured tin oxide, 223
Synthesis
A new defective derivative of a ring-shaped nanosize polyoxomolybdate: synthesis and structure of $Na_{28}[Mo^{VI}_{112}Mo^{V}_{28}O_{427}H_{14}(H_2O)_{56}]\cdot$ ca. $300H_2O$, 245
A simple direct preparation of nanocrystalline γ-Mn_2O_3 at ambient temperature, 294
Synthesis, molecular structure and fluorescence of an organic–inorganic hybrid complex $[Eu(NO_3)_6][(Hphen)_6\cdot(NO_3)_2]\cdot NO_3$ (phen = 1,10-phenanthroline), 368
Synthesis and crystal structure of a novel compound constructed from tris-(2,2′-bipy)ruthenium(II) and decatungstate, 427
Synthesis and characterization of $Ba_2Be_2B_2O_7$, 565
Preparation and structures of 1′-(diphenylphosphino)ferrocenecarboxaldehyde and {1′-(diphenylphosphino)ferrocenyl}methanol, 682
Tantalum complexes
Electronic spectra of solid pentakis(dimethylamido)tantalum(V), 252
Tellurium(II)
Bis(1,2-dithiosquarato)tellurate(II) a new chalcogenochalcogenate, 342
Terminal phenolate
Crystal structure and magnetic properties of a new tetranuclear iron (III) complex with asymmetric iron coordination as a model for polynuclear iron proteins, 173
Tetracobalt-complex
Preparation and characterization of an unusual tetracobalt-complex; X-ray crystal structure of $[Co_2(CO)_5\{\mu\text{-}P,P(\mu\text{-}PPh_2C{\equiv}CPPh_2)\}][Co_2(CO)_4\{\mu\text{-}P\text{-}(\mu\text{-}PPh_2C{\equiv}CPPh_2)\}]$, 723
Tetrakis(imidazolyl)borate ligand
Synthesis and characterization of the first poly(imidazolyl)borate organotin(IV) complex exhibiting a polymeric chain structure, 708
Tetranuclear complex
Synthesis, characterization and crystal structure of a new unsymmetric tetranuclear copper-carbonate complex: reversible CO_2 fixation, 354
Ferromagnetic coupling between an alkoxo-bridged dinickel(II) pair in a mixed-spin tetranuclear nickel(II) complex, 441
Tetranuclear complexes
Structure of a tetranuclear heterometallic Ag(I)–Pt(II) complex with a triazolopyrimidine derivative, 254

Tetranuclear copper(II)
A novel maze-type network assembled by copper(II) and 2, 2′-dicarboxydiphenylthioether: $[(Cu_4(C_5H_5N)_8\{S(C_6H_4CO_2)_2\}_4(H_2O)_2] \cdot 2H_2O)_n$, 315
Tetranuclear iron complex
A novel tetranuclear iron complex $[Fe_4O_2(O_2CC_2H_5)_7(bipy)_2]PF_6 \cdot 2H_2O$ (bipy = 2,2′-bipyridine): crystal structure and magnetic property, 138
Crystal structure and magnetic properties of a new tetranuclear iron (III) complex with asymmetric iron coordination as a model for polynuclear iron proteins, 173
Tetranuclear nickel(II) complex
Synthesis and characterization of a novel tetranuclear nickel(II) complex: $[Ni_4(\mu\text{-}OH)_2(\mu\text{-dppn})_4(\mu\text{-}H_2O)_2](Cl)(ClO_4)_5 \cdot 9H_2O$ (dppn = 3,6-bis(2-pyridyl)pyridazine), 377
The mixed Mo/V tetra-capped Keggin structure clusters
One- and two-dimensional framework materials constructed from the mixed Mo/V tetra-capped Keggin structure clusters and $M(en)_2$ (M = Ni, Cu) complexes groups, 1
Thiacrown
A simple route to thiacrowns. Catalytic macrocyclization of thiirane by cationic manganese carbonyl complexes, 671
Thiirane
A simple route to thiacrowns. Catalytic macrocyclization of thiirane by cationic manganese carbonyl complexes, 671
Thiolato complexes
Photoinduced denitrosyl dinuclearizing reaction of dinitrosyl-molybdenum [Mo(didentate-N,S)$_2$(NO)$_2$] complexes, 661
Thiophenol
The first octanuclear tin(IV)–oxosulfide cluster, 574
Thiosalicylic acid
Re(V) thiosalicylate complexes. Crystal structure of $(Ph_4As)[ReO(SC_6H_4CO_2)_2py] \cdot H_2O$, 261
Three-dimensional porous structure
An unprecedented three-dimensional network cadmium coordination polymer containing isonicotinato *N*-oxido ligand with strong yellow fluorescent emission, 405
Tin(IV)–oxosulfide complex
The first octanuclear tin(IV)–oxosulfide cluster, 574
Titanium
Synthesis of {1,3-bis(η^5-tetramethylcyclopentadienyl)-1,1,3,3-tetramethyldisiloxane}dichlorotitanium(IV) via hydrolysis of bis{η^5-(*N*,*N*-dimethylaminodimethylsilyl)tetramethylcyclopentadienyl}dichlorotitanium(IV), 520
Titanium complexes
Titanium(IV) complexes of trianionic amine triphenolate ligands, 177
Titanium compounds
Hydrothermal synthesis and characterization of an ammoniumtitanium(IV) phosphate with pyrochlore-type structure, 555
Titanocenes
Synthesis of {1,3-bis(η^5-tetramethylcyclopentadienyl)-1,1,3,3-tetramethyldisiloxane}dichlorotitanium(IV) via hydrolysis of bis{η^5-(*N*,*N*-dimethylaminodimethylsilyl)tetramethylcyclopentadienyl}dichlorotitanium(IV), 520
Titration calorimetry
Protonation, complexation and thermochemical behaviour of *N*-benzoylthiocarbamic-*O*-alkylester anions in solution, 398
Tolman angle
Five co-ordination at platinum(II) in a water soluble tertiary phosphine complex: crystal structure of $[Pt(PTA)_3(I)_2] \cdot CH_3OH$, 49
Trans-influence effects
A three-dimensional framework of dimeric copper(II) acetate linked by coordinated sodium cations, 504
Transmetallation
Transmetallation. Synthesis of a novel acetato bridged low-spin Co(II)–Zn(II) heterodinuclear complex from an acetato bridged one-dimensional Zn(II) polymer, 195
Triazolopyrimidine
Structure of a tetranuclear heterometallic Ag(I)–Pt(II) complex with a triazolopyrimidine derivative, 254
Triboluminescence
Refutation of an alleged example of a disordered but centrosymmetric triboluminescent crystal, 319
Tridentate P,O,P ligand
Unusual dirhenium complexes containing the bis[2-(diphenylphosphino)phenyl]ether ligand including a terephthalate-bridged tetrarhenium compound, 745
Trien
Syntheses and structures of μ-[*N*,*N*′-bis(2-aminoethyl)-1,2-ethanediamine-*N*1,*N*1′,*N*2,*N*2′]-bis[*N*,*N*′-(bis(2-aminoethyl)-1,2-ethanediamine-*N*,*N*′,*N*″,*N*‴)]dinickel(II) perchlorate (**1**) and 4,4′-biphenyldisulfonate (**2**), 478
Trigonal prism
A trigonal prismatic Mn(II) complex, $[MnL(H_2O)]^{2+}$, with *bis*(picolinylidenehydrazyl)(2-pyridyl)methane (L). Synthesis, structure and properties, 656
Trimesic acid
A molecular propeller with three quadruply-bonded blades, 130
Trimethylsilyl cyanide
Coordination chemistry of CNH, the simplest isocyanide, 585
Trinuclear compound
Reaction of $[(CO)_4Mo(\mu\text{-}Cl)_3Mo(SnCl_3)(CO)_3]$ with PhCCPh. X-ray crystal structure of $[Mo_3(\mu_3\text{-}O)(\mu_3\text{-}Cl)(\mu_2\text{-}Cl)(\mu_2\text{-}OH)_2(O)(\eta^2\text{-PhCCPh})_5]$, 183
Triphenylphosphine
Synthesis and crystal structure of the first Cu(I)-benzotrizolate complex $[Cu_4(bta)_3(PPh_3)_4][Cu(PPh_3)_3](BF_4)_2$: a unique tetrametallic fragment like a reverse-umbrella, 483
Triple helices
Synthesis and structure of a novel infinite triple helices coordination polymer $\{[Mn(bipy)(azpy)_2(NCS)_2] \cdot H_2O\}_n$(bipy = 4, 4′-bipyridine, azpy = 4, 4′-azobispyridine), 451
Triple-decker complexes
A quest for triple-decker complexes with a bridging phospholyl ligand. Syntheses of $[(\mu,\eta^5\text{:}\eta^5\text{-}C_4Me_4P)(FeCp^*)(RhCp^*)](BF_4)_2$ and $[(\mu,\eta^5\text{:}\eta^5\text{-}C_4Me_4P)(FeCp^*)(IrCp^*)](BF_4)_2$, and structures of $[Cp^*Fe\ (\mu,\eta^1\text{:}\eta^5\text{-}C_4Me_4P)Ir(NCMe)_2Cp^*](CF_3SO_3)_2(Me_2CO)$ and $(C_5Me_4CH_2C_6H_{11})Fe\ (\mu,\eta^1\text{:}\eta^5\text{-}C_4Me_4P)Rh(O_3SCF_3)_2Cp^*$, 100
Tripodal ligands
Titanium(IV) complexes of trianionic amine triphenolate ligands, 177
Tris-(2,2′-bipy)ruthenium(II)
Synthesis and crystal structure of a novel compound constructed from tris-(2,2′-bipy)ruthenium(II) and decatungstate, 427
Tris(hydroxymethyl)phosphine
The first copper(I) complex of tris(hydroxymethyl)phosphine, 490
Tris(vanadyl)-substituted tungstobismutate(III)
Synthesis and crystal structure of a novel vanadium-containing tungstobismutate(III) $K_{12}[(VO)_3(BiW_9O_{33})_2] \cdot 30H_2O$, 551
Tungsten
Carboxylate versus imidobenzoate bonding for anthranilic acid derivatives. Crystal structures of $[W(\eta\text{-}C_5Me_5)Cl_3(\eta^2\text{-}O_2CC_6H_4NH_2\text{-}2)]$ and $[ReCl(OEt)(PPh_3)_2(NC_6H_4CO_2)]$, 95
Bisdiolatotungsten(VI) phenoxide-based catalytic systems for ring opening metathesis polymerization, 108
Tungsten(II)
Synthesis, molecular structure and catalytic activity of the bis(phenylacetylene) complex $[WI_2(CO)(NCMe)(\eta^2\text{-}HC_2Ph)_2]$, 124

Two-dimensional network
A novel two-dimensional layer network composed of cadmium and bridging isophthalate ligand, 165
Tyrosinase
Synthesis of a novel μ-acetate bridged dinuclear Cu(II) complex as model compound for the active site of tyrosinase: crystal structure, magnetic properties and catecholase activity, 753
Unsymmetric ligand
Crystal structure and magnetic properties of a new tetranuclear iron (III) complex with asymmetric iron coordination as a model for polynuclear iron proteins, 173
Synthesis, characterization and crystal structure of a new unsymmetric tetranuclear copper-carbonate complex: reversible CO_2 fixation, 354
Urea
Electrical transport properties of a supramolecular assembly, 507
UV/Vis spectroscopy
The first metal complex containing a silylated β-diketonate ligand: bis(2,2,6,6-tetramethyl-2-sila-3,5-heptanedionato) copper(II), 496
UVVis
UV–Vis observation of different $^7F_0 \rightarrow {}^5D_0$ transitions for both isomeric species in Eu(III) DOTA-like complexes, 719
V/W/Bi-mixed polyanion
Synthesis and crystal structure of a novel vanadium-containing tungstobismutate(III) $K_{12}[(VO)_3(BiW_9O_{33})_2] \cdot 30H_2O$, 551
Vanadium pentoxide
Intercalation of organic dyes in the layered host lattice V_2O_5, 63
10-Vertex cluster rearrangement
A rearrangement of the 10-boron *nido/arachno* decaboranyl cluster, 544
Volatile complexes
The first metal complex containing a silylated β-diketonate ligand: bis(2,2,6,6-tetramethyl-2-sila-3,5-heptanedionato) copper(II), 496
Voltammetry
Synthesis of a novel voltammetrically active isopolyoxotungstate anion, $[H_6W_{18}O_{60}]^{6-}$, 5
Purification of gaseous CO from $Fe(CO)_5$ traces formed in steel storage cylinders, 613
V–VI–VII compound
Synthesis of novel SbSI nanorods by a hydrothermal method, 339
^{183}W NMR
Synthesis, characterization and in vitro antitumor activity of diorganometallo complexes γ-Keggin anions, 372
Water soluble
The first copper(I) complex of tris(hydroxymethyl)phosphine, 490
Five co-ordination at platinum(II) in a water soluble tertiary phosphine complex: crystal structure of $[Pt(PTA)_3(I)_2] \cdot CH_3OH$, 49
XANES
XANES and EXAFS investigations of bonding and structure of Ni and Co derivatives from Prussian Blue coordination compounds, 153
XPS spectra
Chiroptical Lanthanide(III) schiff base complexes derived from *p*-Nitrophenyl-hydrazine and D-Camphor--sulphonic acid, 248
X-ray crystal structure
Nickel(II) promoted P–N bond cleavage of $(Ph_2PNH)_2CS$. X-ray crystal structure of *trans*-$[Ni\{Ph_2PNHC(S)NH_2\text{–}P,S\}_2]Cl_2$, 198
Silver(I) helicates with 2-(arylazo)pyrimidines. Single crystal X-ray structure of {2-(phenylazo)pyrimidine}silver(I) nitrate, 269
Interaction of Rh(I) with a new polydentate O_4,N-donor pyrazolone able to form mononuclear, dinuclear and heterobimetallic compounds, 290
Ni(II) complexes with neutral and dianionic form of 2,6-diacetylpyridine bis(acylhydrazones). Crystal structure of bis[dioxo-2,6-pyridinediylbis(ethylidyne-1-hydrazinyl-2-ylidene)diacetic acid]nickel(II) perchlorate, 311
X-ray crystallography
Carboxylate versus imidobenzoate bonding for anthranilic acid derivatives. Crystal structures of $[W(\eta\text{-}C_5Me_5)Cl_3(\eta^2\text{-}O_2CC_6H_4NH_2\text{-}2)]$ and $[ReCl(OEt)(PPh_3)_2(NC_6H_4CO_2)]$, 95
Syntheses and structures of μ-[*N*,*N*′-bis(2-aminoethyl)-1,2-ethanediamine-*N*1,*N*1′,*N*2,*N*2′]-bis[*N*,*N*′-(bis(2-aminoethyl)-1,2-ethanediamine-*N*,*N*′,*N*″,*N*‴)]dinickel(II) perchlorate (**1**) and 4,4′-biphenyldisulfonate (**2**), 478
X-ray diffraction
Structure of [2,6-bis(dimethylamino)methyl]phenyltin tribromide hydrate, 257
Preparation and structures of 1′-(diphenylphosphino)ferrocenecarboxaldehyde and {1′-(diphenylphosphino)ferrocenyl}methanol, 682
Diaquabis(4,4′-bipyridine)copper(II) di(*o*-sulfobenzimidate) dichloromethane solvate, a two-dimensional $Cu_4(4,4'C_5H_4NC_5H_4N)_4$ rhombic grid clathrating guest dichloromethane, 766
X-ray
Bis(1,2-dithiosquarato)tellurate(II) a new chalcogenochalcogenate, 342
X-ray structure
Titanium(IV) complexes of trianionic amine triphenolate ligands, 177
The electrochemical synthesis and X-ray single crystal study of $Re_4O_6(O^iPr)_{10}$ – a new Rhenium(V, VI) cluster with an unprecedented arrangement of metal–metal bonds, 227
Cis addition of dimethylamine to the coordinated nitriles of *cis*- and *trans*-$[PtCl_2(NCMe)_2]$. X-ray structure of the amidine complex *cis*-$[PtCl_2\{EN(H)\equiv C(NMe_2)Me\}_2] \cdot CH_2Cl_2$, 275
Synthesis and X-ray structure of the homobinuclear 2,2′-biimidazole-bridged palladium(II) complex $[\{Pd(dppp)\}_2(\mu\text{-biim})](OTf)_2$, 381
DFT calculation and X-ray structure of nitrosyl pentaammine chromium complex, 413
The first copper(I) complex of tris(hydroxymethyl)phosphine, 490
Perrhenate ligand as an analog of the methoxide group in alkoxide complexes. Synthesis and X-ray single crystal study of $Ta_2(OMe)_8(ReO_4)_2$, 534
A rearrangement of the 10-boron *nido/arachno* decaboranyl cluster, 544
A trigonal prismatic Mn(II) complex, $[MnL(H_2O)]^{2+}$, with *bis*(picolinylidenehydrazyl)(2-pyridyl)methane (L). Synthesis, structure and properties, 656
Ylides
Metal-substituted ketenes: first ^{13}C and ^{31}P CP/MAS NMR determinations, 145
Ynenyl ligands
Reactivity of $[Ru_3(\mu\text{-}H)(\mu\text{-}Me_2pz)(CO)_{10}]$ with 2,4-hexadiyne. Characterization of the first tetranuclear ynenyl complex, 57
Ytterbium
Time-resolved near-IR luminescence from ytterbium and neodymium complexes of the Lehn cryptand, 187
Zinc
Unusual molecular ladder structure containing zinc(II) and natural T-shape ligand nitrilotriacetate, 79
Zinc bromide
The effect of zinc–bromine interactions on electrophilic bromination in concentrated $ZnBr_2$ solutions, 705
Zinc complexes
Transmetallation. Synthesis of a novel acetato bridged low-spin Co(II)–Zn(II) heterodinuclear complex from an acetato bridged one-dimensional Zn(II) polymer, 195

Zinc compound
Hydrothermal synthesis of two new zinc coordination polymers with mixed ligands, 561
Zinc(II) complex
Hydrothermal synthesis and characterization of the coordination polymer $[Zn(bbdc)(H_2O)]_n$ (bbdc=4,4′-bibenzene-dicarboxylate) possessing a 3D network structure, 599
Mononuclear zinc(II) complexes of *N*,*N*′-bis(2-hydroxy-4-nitrophenylmethyl)-*N*,*N*′-bis(2-pyridylmethyl)-1,*n*-alkanediamines, 664
Zirconium
Syntheses of zirconium (IV) complexes with Schiff-base ligand and their catalytic activities for polymerization of ethylene, 392
ZnS nanocrystallites
Photoluminescence characteristics of ZnS nanocrystallites co-doped with Co^{2+} and Cu^{2+}, 734